


**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings of claims in the application:

**Listing of Claims:**

1. (Original) A compound of Formula I:



(I)

or a pharmaceutically acceptable salt or prodrug thereof,  
wherein:

W is a member selected from the group consisting of

$\text{R}^1\text{-X-(C=O)-NH-CHR}^2\text{-}$ ,  
 $\text{R}^4\text{-Y-(C=O)-NH-CHR}^3\text{-}$ ,  
 $\text{R}^6\text{-(C=O)-NH-CHR}^5\text{-}$ ,  
 $\text{R}^7\text{-NH-(C=O)-NH-CHR}^8\text{-}$ ,  
 $\text{R}^{10}\text{-Z-(C=O)-NH-CHR}^9\text{-}$ , and  
 $\text{R}^{11}\text{-(C=O)-NH-CHR}^{12}\text{-}$ ;

$\text{R}^1$  is a member selected from the group consisting of phenyl substituted with 0-2  $\text{R}^{1a}$ ,  
pyridyl substituted with 0-2  $\text{R}^{1a}$ , and pyridinium N-oxide substituted with 0-2  $\text{R}^{1a}$ ;  
each  $\text{R}^{1a}$  is independently a member selected from the group consisting of Cl, F,  $\text{OCF}_3$ ,  
 $\text{OCH}_3$ ,  $\text{CH}_3$  and  $\text{CF}_3$ ;

X is a member selected from the group consisting of furanylene substituted with 0-1  $\text{R}^x$ ,  
thienylene substituted with 0-1  $\text{R}^x$ , pyrazolyene substituted with 0-1  $\text{R}^x$ ,  
thiazolyene substituted with 0-1  $\text{R}^x$ , and oxazolyene substituted with 0-1  $\text{R}^x$ ;

$\text{R}^x$  is a member selected from the group consisting of F, Cl,  $\text{CH}_3$  and  $\text{CF}_3$ ;

$\text{R}^2$  is a member selected from the group consisting of phenyl substituted with 0-2  $\text{R}^{2a}$ ,  
and  $(\text{CH}_2)_n\text{R}^{2b}$ ;

each  $\text{R}^{2a}$  is independently a member selected from the group consisting of Cl, F,  $\text{OCF}_3$ ,  
 $\text{OCH}_3$ ,  $\text{CH}_3$  and  $\text{CF}_3$ ;

$\text{R}^{2b}$  is independently a member selected from the group consisting of phenyl substituted  
with 0-2  $\text{R}^{2a}$ ; cyclopentyl, cyclohexyl and tetrahydropyranyl;

n is the integer 1 or 2;

$R^3$  is  $(CH_2)_m R^{3b}$ ;

$R^{3b}$  is selected from the group consisting of phenyl substituted with 0-2  $R^{2a}$ , cyclopentyl and cyclohexyl;

m is the integer 1 or 2;

$R^4$  is a member selected from the group consisting of phenyl substituted with 0-3  $R^{4a}$ , thienyl, tetrazolyl, cyclopentenyl and indolyl;

each  $R^{4a}$  is a member selected from the group consisting of phenyl, OH, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, CF<sub>3</sub>, OCF<sub>3</sub>, F, Cl, CH<sub>3</sub>S(=O)<sub>2</sub>-, morpholinyl, pyrrolidinyl, piperidinyl and 4-acetylpiperazinyl;

Y is a member selected from the group consisting of  $-CR^{17}R^{18}$ ,  $-NH-CH_2-$  and  $-O-CH_2-$ ;

$R^5$  is a member selected from the group consisting of phenyl substituted with 0-2  $R^{5a}$ , thienyl, naphthyl, and  $CH_2R^{5b}$ ,  $CH_2CH_2$ (cyclohexyl),  $CH_2CH_2CH_2$ (cyclohexyl),  $CH_2CH_2Ph$ ,  $CH(CH_3)R^{5c}$ ,  $CH_2CH=CHPh$ ,  $-CH_2OCH_2Ph$ ,  $-CH(CH_3)OCH_2Ph$ ;

each  $R^{5a}$  is independently a member selected from the group consisting of F, Cl, NO<sub>2</sub>, OCH<sub>3</sub>, OCH<sub>2</sub>Ph, OPh, CH<sub>3</sub>, OCF<sub>3</sub> and CF<sub>3</sub>;

$R^{5b}$  is independently a member selected from the group consisting of phenyl substituted with 0-2  $R^{5c}$ ; cyclopentyl, cyclohexyl, naphthyl, indolyl and pyridyl;

$R^{5c}$  is independently a member selected from the group consisting of OH, Cl, F, Br, I, CN, NO<sub>2</sub>, CH<sub>3</sub>, OCH<sub>3</sub>, <sup>t</sup>Bu, O-<sup>t</sup>Bu,  $-NHC(=O)CH_3$ , CF<sub>3</sub>, OCF<sub>3</sub>; phenyl substituted with 0-2  $R^{5d}$ ; phenoxy substituted with 0-2  $R^{5d}$ ; benzyloxy substituted with 0-2  $R^{5d}$ ; pyridyl substituted with 0-2  $R^{5d}$ ; pyrimidinyl substituted with 0-2  $R^{5d}$ ; thienyl substituted with 0-2  $R^{5d}$ ;

$R^{5d}$  is independently a member selected from the group consisting of CH<sub>3</sub>, Cl, F, OCH<sub>3</sub>, CF<sub>3</sub>, OCF<sub>3</sub>, N(CH<sub>3</sub>)<sub>2</sub>, acetyl, OH, CH<sub>2</sub>OH, NH<sub>2</sub>, CN and NO<sub>2</sub>;

$R^{5e}$  is phenyl substituted with 0-2  $R^{5a}$ ;

$R^6$  is a member selected from the group consisting of phenyl substituted with 0-3  $R^{6a}$ , furanyl substituted with 0-2  $R^{6b}$ , thienyl substituted with 0-2  $R^{6b}$ , oxazolyl

substituted with 0-2  $R^{6b}$ , thiazolyl substituted with 0-2  $R^{6b}$ , pyridyl, pyridazinyl and cyclopropyl;

each  $R^{6a}$  is independently a member selected from the group consisting of Cl, F, Br,  $OCF_3$ ,  $CF_3$ ,  $C_1$ - $C_4$  alkyl,  $C_1$ - $C_4$  alkoxy,  $-S(=O)_2CH_3$ , CN,  $-N(CH_3)_2$ ,  $OCF_2H$ ,  $-CH_2$ -benzimidazole,  $-NH-S(=O)_2CH_3$ ,  $-NR^{13}R^{14}$ ,  $OR^{14}$ ,  $CH_2$ -morpholine,  $CH_2NH_2$ ,  $OCH_2Ph$ , and  $OPh$ ;

alternatively, two  $R^{6a}$  substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);

each  $R^{6b}$  is independently a member selected from the group consisting of  $NH_2$ , F, Cl, Br,  $-S(=O)_2R^{15}$ ,  $CH_3$ , and  $CF_3$ ;

$R^7$  is a member selected from the group consisting of  $(CH_2)_p R^{7a}$ , and naphthyl substituted with 0-2  $R^{7b}$ ;

p is the integer 0, 1, or 2;

$R^{7a}$  is phenyl substituted with 0-2  $R^{7b}$ ;

$R^{7b}$  is a member selected from the group consisting of F, Cl,  $CF_3$ ,  $C_1$ - $C_4$  alkyl,  $C_1$ - $C_4$  alkoxy,  $OCF_3$ , phenoxy and acetyl;

alternatively, two  $R^{7b}$  substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);

$R^8$  is  $-CH_2-R^{3b}$ ;

$R^9$  is  $(CH_2)_q R^{9a}$ ;

$R^{9a}$  is a member selected from the group consisting of cyclopentyl, phenyl and cyclohexyl;

q is the integer 1 or 2;

$R^{10}$  is a member selected from the group consisting of phenyl substituted with 0-2  $R^{10a}$ , 5 membered heteroaryl containing 1 to 4 heteroatoms each independently a member selected from the group consisting of N, O and S, wherein said heteroaryl is substituted with 0-2  $R^{10a}$ , 6 membered heteroaryl containing 1 to 2 N, wherein

said heteroaryl is substituted with 0-2  $R^{10a}$ , morpholinyl substituted with 0-2  $R^{10a}$ , piperazinyl substituted with 0-2  $R^{10a}$  and piperidinyl substituted with 0-2  $R^{10a}$ ; each  $R^{10a}$  is independently a member selected from the group consisting of Cl, F,  $C_1$ - $C_4$  alkyl,  $C_1$ - $C_4$  alkoxy,  $OCF_3$ , and  $CF_3$ ; alternatively, two  $R^{10a}$  substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical comprises 1 or 2 heteroatom(s);

Z is phenylene;

$R^{11}$  is a member selected from the group consisting of indolyl substituted with 0-2  $R^{11a}$ , benzofuranyl substituted with 0-2  $R^{11a}$ , benzothienyl substituted with 0-2  $R^{11a}$ , benzothiazolyl substituted with 0-2  $R^{11a}$ , benzisoxazolyl substituted with 0-2  $R^{11a}$ , benzoxazolyl substituted with 0-2  $R^{11a}$ , and pyrazolo[1,5-a]pyrimidinyl substituted with 0-2  $R^{11a}$ , piperidinyl N-substituted with 0-1  $R^{11b}$ , morpholinyl N-substituted with 0-1  $R^{11b}$ ; and 2-oxo-pyrrolidinyl with 0-1  $R^{11b}$ ;

each  $R^{11a}$  is independently a member selected from the group consisting of Cl, F,  $NH_2$ ,  $CH_3$ ,  $OCH_3$ ,  $-C(=O)OCH_3$ ,  $OCF_3$ , and  $CF_3$ ;

each  $R^{11b}$  is independently a member selected from the group consisting of pyrimidinyl substituted with 0-2  $R^{11c}$ ; benzyl, acetyl,  $CH_2$ -furanyl, and  $CH_2$ -thienyl;

each  $R^{11c}$  is independently a member selected from the group consisting of Br and  $CH_3$ ;

$R^{12}$  is  $(CH_2)_s R^{12a}$ ;

$R^{12a}$  is a member selected from the group consisting of cyclopentyl and cyclohexyl;

s is the integer 1 or 2;

$R^{13}$  is a member selected from the group consisting of H and  $C_1$ - $C_4$  alkyl;

$R^{14}$  is pyrimidinyl substituted with 0-2  $R^{16}$ ;

$R^{15}$  is a member selected from the group consisting of  $C_1$ - $C_4$  alkyl, morpholinyl, pyrrolidinyl and piperidinyl;

$R^{16}$  is a member selected from the group consisting of  $CH_3$  and  $OCH_3$ ;


each of  $R^{17}$  and  $R^{18}$  is independently a member of H, OH, F, phenyl and  $C_1$ - $C_3$  alkyl;

alternatively,  $R^{17}$  and  $R^{18}$  may be taken together to form a  $C_3$ - $C_6$  cycloalkyl;

Ar is a phenyl substituted with 0-2  $R^{19}$ ; and

each R<sup>19</sup> is independently a member selected from the group consisting of F, Cl, COOH, C<sub>1</sub>-C<sub>4</sub> alkoxy, OCHF<sub>2</sub> and OCF<sub>3</sub>.

2. (Original) The compound of claim 1, wherein said compound has the formula:



Ia

wherein:

R<sup>1</sup> is a member selected from the group consisting of phenyl substituted with 0-2 R<sup>1a</sup>, pyridyl substituted with 0-2 R<sup>1a</sup>, and pyridinium N-oxide substituted with 0-2 R<sup>1a</sup>; each R<sup>1a</sup> is independently a member selected from the group consisting of Cl, F, OCF<sub>3</sub>, OCH<sub>3</sub>, CH<sub>3</sub> and CF<sub>3</sub>;

X is a member selected from the group consisting of furanylene substituted with 0-1 R<sup>x</sup>, thienylene substituted with 0-1 R<sup>x</sup>, pyrazolylene substituted with 0-1 R<sup>x</sup>, thiazolylene substituted with 0-1 R<sup>x</sup>, and oxazolylene substituted with 0-1 R<sup>x</sup>;

R<sup>x</sup> is a member selected from the group consisting of F, Cl, CH<sub>3</sub> and CF<sub>3</sub>;

R<sup>2</sup> is a member selected from the group consisting of phenyl substituted with 0-2 R<sup>2a</sup>, and (CH<sub>2</sub>)<sub>n</sub>R<sup>2b</sup>;

each R<sup>2a</sup> is independently a member selected from the group consisting of Cl, F, OCF<sub>3</sub>, OCH<sub>3</sub>, CH<sub>3</sub> and CF<sub>3</sub>;


R<sup>2b</sup> is independently a member selected from the group consisting of phenyl substituted with 0-2 R<sup>2a</sup>, cyclopentyl, cyclohexyl and tetrahydropyranyl;

n is the integer 1 or 2;

Ar is a phenyl substituted with 0-2 R<sup>19</sup>; and

each R<sup>19</sup> is independently a member selected from the group consisting of F, Cl, COOH, C<sub>1</sub>-C<sub>4</sub> alkoxy, OCHF<sub>2</sub> and OCF<sub>3</sub>.

3. (Original) The compound of claim 1, wherein said compound has the formula:



**Ib**

wherein:

$R^4$  is a member selected from the group consisting of phenyl substituted with 0-3  $R^{4a}$ ,  
thienyl, tetrazolyl, cyclopentenyl and indolyl;

each  $R^{4a}$  is a member selected from the group consisting of phenyl, OH,  $C_1$ - $C_4$  alkyl,  $C_1$ - $C_4$  alkoxy,  $CF_3$ ,  $OCF_3$ , F, Cl,  $CH_3S(=O)_2$ -, morpholinyl, pyrrolidinyl, piperidinyl  
and 4-acetylpiperazinyl;

Y is a member selected from the group consisting of  $-CR^{17}R^{18}$ ,  $-NH-CH_2-$  and  
 $-O-CH_2-$ ;

$R^3$  is  $(CH_2)_mR^{3b}$ ;

$R^{3b}$  is selected from the group consisting of phenyl substituted with 0-2  $R^{2a}$ , cyclopentyl  
and cyclohexyl;

each  $R^{2a}$  is independently a member selected from the group consisting of Cl, F,  $OCF_3$ ,  
 $OCH_3$ ,  $CH_3$  and  $CF_3$ ;


m is the integer 1 or 2;

each of  $R^{17}$  and  $R^{18}$  is independently a member of H, OH, F, phenyl and  $C_1$ - $C_3$  alkyl;  
alternatively,  $R^{17}$  and  $R^{18}$  may be taken together to form a  $C_3$ - $C_6$  cycloalkyl;

Ar is a phenyl substituted with 0-2  $R^{19}$ ; and

each  $R^{19}$  is independently a member selected from the group consisting of F, Cl, COOH,  
 $C_1$ - $C_4$  alkoxy,  $OCHF_2$  and  $OCF_3$ .

4. (Original) The compound of claim 1, wherein said compound has the  
formula:



**Ic**

wherein:

$R^5$  is a member selected from the group consisting of phenyl substituted with 0-2  $R^{5a}$ ,  
thienyl, naphthyl, and  $CH_2R^{5b}$ ,  $CH_2CH_2$ (cyclohexyl),  $CH_2CH_2CH_2$ (cyclohexyl),  
 $CH_2CH_2Ph$ ,  $CH(CH_3)R^{5c}$ ,  $CH_2CH=CHPh$ ,  $-CH_2OCH_2Ph$ , and  $-CH(CH_3)OCH_2Ph$ ;

each  $R^{5a}$  is independently a member selected from the group consisting of F, Cl,  $NO_2$ ,  $OCH_3$ ,  $OCH_2Ph$ ,  $OPh$ ,  $CH_3$ ,  $OCF_3$  and  $CF_3$ ;

$R^{5b}$  is independently a member selected from the group consisting of phenyl substituted with 0-2  $R^{5c}$ ; cyclopentyl, cyclohexyl, naphthyl, indolyl and pyridyl;

$R^{5c}$  is independently a member selected from the group consisting of OH, Cl, F, Br, I, CN,  $NO_2$ ,  $CH_3$ ,  $OCH_3$ ,  $tBu$ ,  $O-tBu$ ,  $-NHC(=O)CH_3$ ,  $CF_3$ ,  $OCF_3$ , phenyl substituted with 0-2  $R^{5d}$ , phenoxy substituted with 0-2  $R^{5d}$ , benzyloxy substituted with 0-2  $R^{5d}$ , pyridyl substituted with 0-2  $R^{5d}$ , pyrimidinyl substituted with 0-2  $R^{5d}$ , and thienyl substituted with 0-2  $R^{5d}$ ;

$R^{5d}$  is independently a member selected from the group consisting of  $CH_3$ , Cl, F,  $OCH_3$ ,  $CF_3$ ,  $OCF_3$ ,  $N(CH_3)_2$ , acetyl, OH,  $CH_2OH$ ,  $NH_2$ , CN and  $NO_2$ ;

$R^{5e}$  is phenyl substituted with 0-2  $R^{5a}$ ;

$R^6$  is a member selected from the group consisting of phenyl substituted with 0-3  $R^{6a}$ , furanyl substituted with 0-2  $R^{6b}$ ; thienyl substituted with 0-2  $R^{6b}$ ; oxazolyl substituted with 0-2  $R^{6b}$ ; thiazolyl substituted with 0-2  $R^{6b}$ ; pyridyl, pyridazinyl and cyclopropyl;

each  $R^{6a}$  is independently a member selected from the group consisting of Cl, F, Br,  $OCF_3$ ,  $CF_3$ ,  $C_1-C_4$  alkyl,  $C_1-C_4$  alkoxy,  $-S(=O)_2CH_3$ , CN,  $-N(CH_3)_2$ ,  $OCF_2H$ ,  $-CH_2$ -benzimidazole,  $-NH-S(=O)_2CH_3$ ,  $-NR^{13}R^{14}$ ,  $OR^{14}$ ,  $CH_2$ -morpholine,  $CH_2NH_2$ ,  $OCH_2Ph$ , and  $OPh$ ;

alternatively, two  $R^{6a}$  substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);

each  $R^{6b}$  is independently a member selected from the group consisting of  $NH_2$ , F, Cl, Br,  $-S(=O)_2R^{15}$ ,  $CH_3$ , and  $CF_3$ ;

$R^{13}$  is a member selected from the group consisting of H and  $C_1-C_4$  alkyl;


$R^{14}$  is pyrimidinyl substituted with 0-2  $R^{16}$ ;

$R^{15}$  is a member selected from the group consisting of  $C_1-C_4$  alkyl, morpholinyl, pyrrolidinyl and piperidinyl;

$R^{16}$  is a member selected from the group consisting of  $CH_3$  and  $OCH_3$ ;

Ar is a phenyl substituted with 0-2 R<sup>19</sup>; and  
each R<sup>19</sup> is independently a member selected from the group consisting of F, Cl, COOH,  
C<sub>1</sub>-C<sub>4</sub> alkoxy, OCHF<sub>2</sub> and OCF<sub>3</sub>.

5. (Original) The compound of claim 1, wherein said compound has the  
formula:



**Id**

wherein:

R<sup>7</sup> is a member selected from the group consisting of (CH<sub>2</sub>)<sub>p</sub> R<sup>7a</sup>; and naphthyl  
substituted with 0-2 R<sup>7b</sup>;

p is the integer 0, 1, or 2;

R<sup>7a</sup> is a member selected from the group consisting of phenyl substituted with 0-2 R<sup>7b</sup>;

R<sup>7b</sup> is a member selected from the group consisting of F, Cl, CF<sub>3</sub>, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub>  
alkoxy, OCF<sub>3</sub>, phenoxy and acetyl;

alternatively, two R<sup>7b</sup> substituents on adjacent atoms may be combined to form a 5 to 6  
membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic  
fused radical has 1 or 2 oxygen atom(s);

R<sup>8</sup> is -CH<sub>2</sub>-R<sup>3b</sup>;

R<sup>3b</sup> is selected from the group consisting of phenyl substituted with 0-2 R<sup>2a</sup>, cyclopentyl  
and cyclohexyl;


each R<sup>2a</sup> is independently a member selected from the group consisting of Cl, F, OCF<sub>3</sub>,  
OCH<sub>3</sub>, CH<sub>3</sub> and CF<sub>3</sub>;

Ar is a phenyl substituted with 0-2 R<sup>19</sup>; and

each R<sup>19</sup> is independently a member selected from the group consisting of F, Cl, COOH,  
C<sub>1</sub>-C<sub>4</sub> alkoxy, OCHF<sub>2</sub> and OCF<sub>3</sub>.

6. (Original) The compound of claim 1, wherein said compound has the  
formula:





**1e**

wherein:

$R^{10}$  is a member selected from the group consisting of phenyl substituted with 0-2  $R^{10a}$ , 5 membered heteroaryl containing 1 to 4 heteroatoms each independently a member selected from the group consisting of N, O and S, wherein said heteroaryl is substituted with 0-2  $R^{10a}$ , 6 membered heteroaryl containing 1 to 2 N, wherein said heteroaryl is substituted with 0-2  $R^{10a}$ , morpholinyl substituted with 0-2  $R^{10a}$ , piperazinyl substituted with 0-2  $R^{10a}$  and piperidinyl substituted with 0-2  $R^{10a}$ ; each  $R^{10a}$  is independently a member selected from the group consisting of Cl, F,  $C_1$ - $C_4$  alkyl,  $C_1$ - $C_4$  alkoxy,  $OCF_3$ , and  $CF_3$ ;

alternatively, two  $R^{10a}$  substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical comprises 1 or 2 heteroatom(s);

Z is phenylene;

$R^9$  is  $(CH_2)_qR^{9a}$ ;


$R^{9a}$  is a member selected from the group consisting of cyclopentyl, phenyl and cyclohexyl;

q is the integer 1 or 2;

Ar is a phenyl substituted with 0-2  $R^{19}$ ; and

each  $R^{19}$  is independently a member selected from the group consisting of F, Cl,  $COOH$ ,  $C_1$ - $C_4$  alkoxy,  $OCHF_2$  and  $OCF_3$ .

7. (Original) The compound of claim 1, wherein said compound has the formula:



**If**

wherein:

$R^{11}$  is a member selected from the group consisting of indolyl substituted with 0-2  $R^{11a}$ ; benzofuranyl substituted with 0-2  $R^{11a}$ ; benzothienyl substituted with 0-2  $R^{11a}$ ; benzothiazolyl substituted with 0-2  $R^{11a}$ ; benzisoxazolyl substituted with 0-2  $R^{11a}$ ; benzoxazolyl substituted with 0-2  $R^{11a}$ ; and pyrazolo[1,5-a]pyrimidinyl substituted with 0-2  $R^{11a}$ ; piperidinyl N-substituted with 0-1  $R^{11b}$ ; morpholinyl N-substituted with 0-1  $R^{11b}$ ; and 2-oxo-pyrrolidinyl with 0-1  $R^{11b}$ ;

each  $R^{11a}$  is independently a member selected from the group consisting of Cl, F,  $NH_2$ ,  $CH_3$ ,  $OCH_3$ ,  $-C(=O)OCH_3$ ,  $OCF_3$ , and  $CF_3$ ;

each  $R^{11b}$  is independently a member selected from the group consisting of pyrimidinyl substituted with 0-2  $R^{11c}$ ; benzyl, acetyl,  $CH_2$ -furanyl, and  $CH_2$ -thienyl;

each  $R^{11c}$  is independently a member selected from the group consisting of Br and  $CH_3$ ;

$R^{12}$  is  $(CH_2)_s R^{12a}$ ;

$R^{12a}$  is a member selected from the group consisting of cyclopentyl and cyclohexyl;

s is the integer 1 or 2;

Ar is a phenyl substituted with 0-2  $R^{19}$ ; and

each  $R^{19}$  is independently a member selected from the group consisting of F, Cl,  $COOH$ ,  $C_1$ - $C_4$  alkoxy,  $OCHF_2$  and  $OCF_3$ .

8. (Currently amended) The compound of claim 1, wherein said compound is a member selected from the compounds of Table I:

TABLE I

- i. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-3-phenylpropyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- ii. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(2-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- iii. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(3-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- iv. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(4-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- v. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(tetrahydro-2H-pyran-4-yl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;

- vi. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-cyclopentylethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- vii. (S)-N-{2-[4-(2,3-Dimethyl-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- viii. (±)-N-((2-(4-methoxyphenylamino)ethylcarbamoyl)(4-chlorophenyl)methyl)-3-methylbenzamide;
- ix. (±)-N-((2-(4-methoxyphenylamino)ethylcarbamoyl)(phenyl)-methyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- x. N-((S)-1-(2-(4-(difluoromethoxy)phenylamino)ethylcarbamoyl)-2-cyclohexylethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- xi. 4-[2-(3-Cyclohexyl-2-(S)-{[5-(3-trifluoromethyl-phenyl)-furan-2-carbonyl]-amino}-propionylamino)-ethylamino]-benzoic acid;
- xii. 2-[2-(3-Cyclohexyl-2-(S)-{[5-(3-trifluoromethyl-phenyl)-furan-2-carbonyl]-amino}-propionylamino)-ethylamino]-benzoic acid;
- xiii. 4-Cyclohexyl-2-(S)-(2-(R)-phenyl-propionylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-butyramide;
- xiv. Acetyl-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xv. (S)-2-{2-[4-(4-Acetyl-piperazin-1-yl)-phenoxy]-acetyl-amino}-3-cyclohexyl-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xvi. (S)-2-Chloro-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3-methyl-benzamide;
- xvii. Cyclohexyl-2-[2-(4-methoxy-phenyl)-acetyl-amino]-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xviii. (S)-N-{2-[4-(3,5-Dichloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xix. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methanesulfonyl-benzamide;
- xx. (S)-4-Benzoyloxy-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3,5-dimethyl-benzamide;

- xxi. (S)-4-Methoxy-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3,5-dimethyl-benzamide;
- xxii. 5-Methoxy-1H-indole-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxiii. (S)-3-Bromo-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-4-methyl-benzamide;
- xxiv. Furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxv. Thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxvi. Furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxvii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(5-methyl-[1,2,4]oxadiazol-3-yl)-benzamide;
- xxviii. 5-(4-Fluoro-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxix. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-2,4,5-trimethyl-benzamide;
- xxx. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-2,4,5-trimethyl-benzamide;
- xxxi. 5-(3-Fluoro-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxii. Benzyl-morpholine-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxiii. (S)-N-{2-[4-(4-Dimethylamino-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xxxiv. 2'-Chloro-biphenyl-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxv. 5-(2-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- xxxvi. 5-(3-Fluoro-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxvii. Thiophene-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxviii. Oxo-1-thiophen-2-ylmethyl-pyrrolidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxix. Furan-2-ylmethyl-5-oxo-pyrrolidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl. Methyl-5-(pyrrolidine-1-sulfonyl)-furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xli. (S)-1-Phenyl-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- xl.ii. 5-p-Tolyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl.iii. Benzoimidazol-1-ylmethyl-N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- xliv. (S)-1-(4-Chloro-phenyl)-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- xl. v. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-p-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- xlvi. Cyclohexyl-2-(S)-(2-tetrazol-1-yl-acetyl-amino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xl. vii. 5-m-Tolyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl. viii. 2,7-Dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl. ix. 2-Methyl-5-(morpholine-4-sulfonyl)-furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- l. 5-(3-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- li. 5-m-Tolyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lii. (S)-2,3-Dihydro-benzofuran-7-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- liii. Methanesulfonyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- liv. 2-Phenyl-thiazole-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lv. (S)-3-Cyano-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-benzamide;
- lvi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- lvii. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-3-phenyl-2-(3-phenyl-ureido)-propionamide;
- lviii. 3-Cyclohexyl-2-(S)-(2-(S)-hydroxy-2-phenyl-acetylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- lix. Benzo[c]isoxazole-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lx. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-difluoromethoxy-benzamide;
- lxi. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-isopropoxy-benzamide;
- lxii. Phenyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxiii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-nicotinamide;
- lxiv. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-isonicotinamide;
- lxv. Phenyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- lxvi. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-o-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- lxvii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-oxazol-5-yl-benzamide;
- lxviii. 5-(3-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lix. 5-(2-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxx. 5-p-Tolyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxi. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-[(4,6-dimethyl-pyrimidin-2-yl)-methyl-amino]-benzamide;
- lxxii. 1-(4,6-Dimethyl-pyrimidin-2-yl)-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxiii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-(4,6-dimethoxy-pyrimidin-2-yloxy)-benzamide;
- lxxiv. 3'-Methoxy-biphenyl-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxv. N-{3-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-2-(R)-phenyl-butyramide;
- lxxvi. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-thiophen-2-yl)-acetyl-amino)-propionamide;
- lxxvii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-thiophen-3-yl)-acetyl-amino)-propionamide;
- lxxviii. (S)-3-Bromo-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-benzamide;
- lxxix. Acetyl-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxx. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethoxy-pyrimidin-2-yl)-benzamide;

- lxxxi. 1-(5-Bromo-pyrimidin-2-yl)-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxxii. (S)-2-(2-Cyclopent-2-enyl-acetyl-amino)-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- lxxxiii. Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(2-1H-indol-3-yl-acetyl-amino)-propionamide;
- lxxxiv. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-3-methanesulfonylamino-benzamide;
- lxxxv. 5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxxvi. Cyclohexyl-2-(S)-(2-(R,S)-fluoro-2-phenyl-acetyl-amino)-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- lxxxvii. Cyclohexyl-N-(S)-[2-(4-fluoro-phenylamino)-ethyl]-2-[2-(4-trifluoromethoxy-phenyl)-acetyl-amino]-propionamide;
- lxxxviii. (S)-2-[3-(4-Chloro-phenyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- lxxxix. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-[3-(4-phenoxy-phenyl)-ureido]-3-phenyl-propionamide;
- xc. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-(3-phenethyl-ureido)-3-phenyl-propionamide;
- xc. (S)-2-[3-(4-Fluoro-benzyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- xcii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethyl-pyrimidin-2-ylamino)-benzamide;
- xciii. 1-(5-Bromo-pyrimidin-2-yl)-piperidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xciv. (S)-2-(3-Benzo[1,3] dioxol-5-yl-ureido)-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- xcv. 3-Cyclohexyl-2-(S)-[2-(2,5-difluorophenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;



- xcvi. (S)-2-[3-(3-Fluoro-benzyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- xcvii. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-3-phenyl-2-(3-o-tolyl-ureido)-propionamide;
- xcviii. (S)-N-{2-[4-(3,4-Dichloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xcix. 3-Cyclohexyl-2-(S)-[2-(3,4-difluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- c. 3-Cyclohexyl-2-(S)-[2-(2,4-difluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- ci. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-(3-naphthalen-1-yl-ureido)-3-phenyl-propionamide;
- cii. (S)-2-[3-(2-tert-Butyl-6-methyl-phenyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- ciii. (S)-2-[3-(4-Acetyl-phenyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- civ. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-[3-(3-methoxy-phenyl)-ureido]-3-phenyl-propionamide;
- cv. (S)-Biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-trifluoromethyl-benzamide;
- cvii. 2-(S)-[2-(2-Chloro-4-fluoro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cviii. (S)-2-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cix. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cx. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,5-dimethyl-benzamide;

- cxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methoxy-3,5-dimethyl-benzamide;
- cxii. (S)-3-Bromo-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methyl-benzamide;
- cxiii. (S)-5-Fluoro-1H-indole-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxiv. (S)-2-Amino-4-methyl-thiazole-5-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxv. (S)-1-Phenyl-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxvi. (S)-1-(4-Chloro-phenyl)-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxvii. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxviii. (S)-3-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-dimethylamino-benzamide;
- cxx. (S)-3-Cyano-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxxi. (S)-4-Cyano-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxxii. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-propionamide;
- cxxiii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- cxxiv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-[1,2,4]triazol-1-yl-benzamide;
- cxxv. 3-Cyclohexyl-2-(S)-[2-(3,5-difluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;

- cxxvi. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-trifluoromethyl-benzamide;
- cxxvii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-4-morpholin-4-yl-benzamide;
- cxxviii. (4-Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(S)-(2-(S)-phenyl-propionylamino)-butyramide;
- cxxix. (S)-4-Benzoyloxy-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxix. (S)-Biphenyl-4-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxix. (S)-5-Chloro-1H-indole-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxix. (S)-5-Fluoro-1H-indole-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxix. (S)-2-Amino-4-methyl-thiazole-5-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxix. (S)-5-Chloro-benzofuran-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxix. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-butyramide;
- cxix. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxix. (S)-Benzothiazole-6-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxix. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-trifluoromethoxy-benzamide;
- cxix. (S)-3-Cyano-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxl. (S)-4-Cyano-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;

- cxli. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;
- cxlii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- cxliii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-4-[1,2,4]triazol-1-yl-benzamide;
- cxliv. (S)-Biphenyl-3-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxlv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- cxlvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,4-difluoro-benzamide;
- cxlvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-fluoro-2-methyl-benzamide;
- cxlviii. (S)-2-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-5-methyl-benzamide;
- cxlix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-fluoro-3-trifluoromethyl-benzamide;
- cl. (S)-5-Methyl-1-phenyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cli. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-propyl-benzamide;
- clii. 3-Cyclohexyl-2-(S)-[2-(4-fluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cliii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methoxy-benzamide;
- cliv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-5-trifluoromethyl-benzamide;
- clv. (S)-3-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;

- clvi. (S)-5-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- clvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-5-fluoro-2-methyl-benzamide;
- clviii. (S)-1-Phenyl-cyclopropanecarboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clix. (S)-3-Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(2-phenylamino-acetyl-amino)-propionamide;
- clx. 3-Cyclohexyl-2-(S)-(2-(R)-hydroxy-2-phenyl-acetyl-amino)-N-[2-(4-methoxy-phenylamino)-ethyl]-propionamide ;
- clxi. (S)-1-(4-Fluoro-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxii. (S)-1-(4-Methoxy-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxiii. (S)-1-(4-Chloro-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxiv. N-{2-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-butyramide;
- clxv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-fluoro-5-trifluoromethyl-benzamide;
- clxvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-3-trifluoromethyl-benzamide;
- clxvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-fluoro-3-methyl-benzamide;
- clxviii. (S)-5-(4-Chloro-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-4-trifluoromethyl-benzamide;
- clxx. (S)-4'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- clxxi. (S)-3', 5'-Dichloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxii. (S)-3'-Methoxy-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxiii. (S)-3'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxiv. (S)-2'-Methoxy-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxv. (S)-4'-Chloro-biphenyl-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxvi. (S)-4-Benzo[1,3]dioxol-5-yl-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxvii. (S)-5-Bromo-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxviii. (S)-3,5-Dibromo-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxix. (S)-3,5-Dichloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxx. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,5-dimethoxy-benzamide;
- clxxxi. (S)-Biphenyl-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxii. (S)-5-Bromo-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxiii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;
- clxxxiv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-phenoxy-benzamide;
- clxxxv. (S)-1H-Indole-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- clxxxvi. (S)-Benzothiazole-6-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxvii. (S)-2-Amino-benzothiazole-6-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxviii. (S)-4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazole-5-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxix. (S)-4-(4-Chloro-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxc. (S)-2-Methyl-5-trifluoromethyl-oxazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxci. (S)-4-(4-Methoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcii. N-{2-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-propionamide;
- cxci. (S)-5-(2-Chloro-5-trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxci. (S)-2'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcv. (S)-1-(5-Bromo-pyrimidin-2-yl)-piperidine-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethyl-pyrimidin-2-ylamino)-benzamide;
- cxcvii. (S)-1-(5-Bromo-pyrimidin-2-yl)-piperidine-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcviii. (S)-3'-Fluoro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcix. (S)-3-Aminomethyl-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cc. (S)-N-{2-Cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-morpholin-4-ylmethyl-benzamide;

- cci. (S)-5-(2-Fluoro-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-methyl-benzamide;
- cciii. (S)-N-{4-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-butyl}-3-methyl-benzamide;
- cciv. (S)-N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-phenyl-methyl}-3-methyl-benzamide;
- ccv. (S)-5-(4-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccvi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-3-phenyl-propyl}-3-methyl-benzamide;
- ccvii. (S)-5-(4-Trifluoromethoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-4-phenyl-but-3-enyl}-3-methyl-benzamide;
- ccix. (S)-5-(3-Trifluoromethoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccx. (S)-5-(2-Methoxy-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxi. N-{(4-Methoxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxii. (S)-5-(2-Fluoro-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxiii. (S)-5-(4-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxiv. N-{(2-Benzoyloxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxv. (S)-5-(4-Trifluoromethoxy-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;



- ccxvi. N-{(2-Chloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxvii. N-{(4-Benzyloxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxviii. N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-naphthalen-1-yl-methyl}-3-methyl-benzamide;
- ccxix. (S)-5-(2-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxx. N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-o-tolyl-methyl}-3-methyl-benzamide;
- ccxxi. (S)-N-{2-Cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-[1,2,4]triazol-1-yl-benzamide;
- ccxxii. N-{(2,4-Dichloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxiii. N-{(2,3-Dichloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxiv. N-{(2,4-Dimethyl-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxv. N-{(2,4-Dimethoxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxvi. N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-thiophen-2-yl-methyl}-3-methyl-benzamide;
- ccxxvii. N-{(4-Fluoro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxxviii. (S)-N-{2-(4-Hydroxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxix. (S)-N-{2-(2,4-Dichloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxx. (S)-N-{2-(3,5-Difluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- ccxxxix. (S)-N-{2-(3,4-Dichloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxii. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- ccxxxiii. (S)-N-{2-(4-Acetylamino-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxiv. (S)-Biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxxxv. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-p-tolyl-ethyl}-3-methyl-benzamide;
- ccxxxvi. (S)-N-{2-(3-Fluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxvii. (S)-N-{2-(3,4-Difluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-m-tolyl-ethyl}-3-methyl-benzamide;
- ccxxxix. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(2-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccxli. (S)-N-{2-(4-Cyano-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlii. (S)-N-{2-(4-Bromo-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxliii. (S)-N-{2-(4-Iodo-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxliv. (S)-N-{2-(4-Chloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-nitro-phenyl)-ethyl]-3-methyl-benzamide;
- ccxlv. (S)-N-{2-(4-Fluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- ccxlvii. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxlviii. (S)-N-{2-(4-Benzoyloxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlix. (S)-N-{2-[4-(2,6-Dichloro-benzyloxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccl. 2-Amino-4-methyl-thiazole-5-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cccli. (S)-5-(2-Chloro-5-trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccclii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(3-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- cccliii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- cccliv. (S)-N-{2-Benzoyloxy-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccclv. (S)-N-{2-(4-tert-Butyl-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccclvi. Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(S)-(2-(S)-phenyl-propionylamino)-butyramide;
- ccclvii. (S)-N-{2-(1H-Indol-3-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccclviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-naphthalen-1-yl-ethyl}-3-methyl-benzamide;
- ccclix. (S)-N-{2-Benzoyloxy-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-methyl-benzamide;
- ccclx. 3-Cyclohexyl-2-(S)-[2-(3-fluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;

- cclxi. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-naphthalen-2-yl-ethyl]-3-methyl-benzamide;
- cclxii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-pyridin-3-yl-ethyl]-3-methyl-benzamide;
- cclxiii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-pyridin-4-yl-ethyl]-3-methyl-benzamide;
- cclxiv. Furan-2-carboxylic acid (S)-[2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-amide;
- cclxv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-tetrazol-1-yl-acetylamino)-propionamide;
- cclxvi. N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-nitro-phenyl)-propyl]-3-methyl-benzamide;
- cclxvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-m-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- cclxviii. threo-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-propyl]-3-methyl-benzamide;
- cclxix. erythro-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-propyl]-3-methyl-benzamide;
- cclxx. (S)-N-[2-Biphenyl-4-yl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl]-3-methyl-benzamide;
- cclxxi. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(3'-nitro-biphenyl-4-yl)-ethyl]-3-methyl-benzamide;
- cclxxii. Furan-3-carboxylic acid (S)-[2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-amide;
- cclxxiii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(2'-nitro-biphenyl-4-yl)-ethyl]-3-methyl-benzamide;
- cclxxiv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-pyridin-3-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-thiophen-3-yl-phenyl)-ethyl]-3-methyl-benzamide;


- cclxxvi. (S)-N-{2-(4'-Cyano-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-pyridin-4-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxviii. (S)-N-{2-(4'-Chloro-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxix. (S)-N-{2-(2',3'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxx. (S)-N-{2-(3'-Amino-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxi. (S)-N-{2-(3',4'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxii. (S)-N-{2-(4'-Hydroxymethyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxiii. (S)-N-{2-(5'-Fluoro-2'-methoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxiv. (S)-N-{2-(3'-Hydroxymethyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxv. (S)-N-{2-(2',5'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxvi. (S)-N-{2-(2',5'-Dichloro-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxvii. (S)-N-{2-(4'-Dimethylamino-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxviii. (S)-N-{2-(2'-Acetyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxix. (S)-N-{2-(4'-Hydroxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxc. (S)-N-{2-(3'-Acetyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- ccxcxi. (S)-N-{2-[4-(2,4-Dimethoxy-pyrimidin-5-yl)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxcii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-[4-(6-methoxy-pyridin-3-yl)-phenyl]-ethyl}-3-methyl-benzamide;
- ccxciii. Methanesulfonyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxciv. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-propionamide;
- ccxcv. Pyridazine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxcvi. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-3-methanesulfonyl-benzamide;
- ccxcvii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-1H-tetrazol-5-yl-acetyl-amino)-propionamide;
- ccxcviii. Cyclopropanecarboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxcix. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-4-methanesulfonylamino-benzamide;
- ccc. (S)-N-{2-[4-(4-Chloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccci. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-methoxy-phenyl)-acetyl-amino]-propionamide;
- cccii. 2-(S)-[2-(3-Chloro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- ccci. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-phenylacetyl-amino-propionamide;
- ccciv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-o-tolyl-acetyl-amino)-propionamide;
- cccv. 2-(S)-[2-(4-Chloro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;

- cccv. 3-Cyclohexyl-2-(S)-[2-(2-fluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cccvii. 3-Cyclohexyl-2-(S)-diphenylacetyl-amino-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cccviii. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(2-fluoro-biphenyl-4-yl)-propionamide;
- cccix. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-p-tolyl-propionamide;
- ccc. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(4-fluoro-phenyl)-propionamide;
- cccxi. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(4-hydroxy-phenyl)-propionamide;
- cccxi. 2-(4-Chloro-phenyl)-N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-propionamide;
- cccxi. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-4-methanesulfonyl-benzamide;
- cccxi. Thiazole-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-amide;
- cccxi. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-propionamide;
- cccxi. 4-Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxi. 3-Cyclohexyl-N-[2-(4-fluoro-phenyl-amino)-ethyl]-2-(S)-(2-(R)-hydroxy-2-phenyl-acetyl-amino)-propionamide;
- cccxi. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-butyramide;
- cccxi. Phenyl-cyclopropanecarboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-amide;
- cccxi. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(R,S)-(4-fluoro-phenyl)-propionamide;

- cccxxi. Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxxii. 5-(4-Fluoro-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cccxxiii. Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(3-trifluoromethyl-phenyl)-acetyl-amino]-propionamide;
- cccxxiv. Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxxv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-trifluoromethyl-phenyl)-acetyl-amino]-propionamide;
- cccxxvi. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-methanesulfonyl-phenyl)-acetyl-amino]-propionamide;
- cccxxvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-phenoxy-phenyl)-ethyl]-3-methyl-benzamide;
- cccxxviii. (S)-N-{2-[4-(4-Methoxy-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccxxix. (S)-N-{2-[4-(3-Chloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccxxx. (S)-N-{2-[4-(3,5-Dimethyl-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide.



9. (Original) A pharmaceutical composition, said composition comprising a compound of Formula I:



(I)

or a pharmaceutically acceptable salt or prodrug thereof,  
wherein:

W is a member selected from the group consisting of





$R^6-(C=O)-NH-CHR^5-$ ,  
 $R^7-NH-(C=O)-NH-CHR^8-$ ,  
 $R^{10}-Z-(C=O)-NH-CHR^9-$ , and  
 $R^{11}-(C=O)-NH-CHR^{12}-$ ;

$R^1$  is a member selected from the group consisting of phenyl substituted with 0-2  $R^{1a}$ ,  
pyridyl substituted with 0-2  $R^{1a}$ , and pyridinium N-oxide substituted with 0-2  $R^{1a}$ ;  
each  $R^{1a}$  is independently a member selected from the group consisting of Cl, F,  $OCF_3$ ,  
 $OCH_3$ ,  $CH_3$  and  $CF_3$ ;

X is a member selected from the group consisting of furanylene substituted with 0-1  $R^x$ ,  
thienylene substituted with 0-1  $R^x$ , pyrazolylene substituted with 0-1  $R^x$ ,  
thiazolylene substituted with 0-1  $R^x$ , and oxazolylene substituted with 0-1  $R^x$ ;

$R^x$  is a member selected from the group consisting of F, Cl,  $CH_3$  and  $CF_3$ ;

$R^2$  is a member selected from the group consisting of phenyl substituted with 0-2  $R^{2a}$ ,  
and  $(CH_2)_nR^{2b}$ ;

each  $R^{2a}$  is independently a member selected from the group consisting of Cl, F,  $OCF_3$ ,  
 $OCH_3$ ,  $CH_3$  and  $CF_3$ ;

$R^{2b}$  is independently a member selected from the group consisting of phenyl substituted  
with 0-2  $R^{2a}$ ; cyclopentyl, cyclohexyl and tetrahydropyranyl;

n is the integer 1 or 2;

$R^3$  is  $(CH_2)_mR^{3b}$ ;

$R^{3b}$  is selected from the group consisting of phenyl substituted with 0-2  $R^{2a}$ , cyclopentyl  
and cyclohexyl;

m is the integer 1 or 2;

$R^4$  is a member selected from the group consisting of phenyl substituted with 0-3  $R^{4a}$ ,  
thienyl, tetrazolyl, cyclopentenyl and indolyl;

each  $R^{4a}$  is a member selected from the group consisting of phenyl, OH,  $C_1$ - $C_4$  alkyl,  $C_1$ -  
 $C_4$  alkoxy,  $CF_3$ ,  $OCF_3$ , F, Cl,  $CH_3S(=O)_2-$ , morpholinyl, pyrrolidinyl, piperidinyl  
and 4-acetylpiperazinyl;

Y is a member selected from the group consisting of  $-CR^{17}R^{18}$ ,  $-NH-CH_2-$  and  $-O-CH_2-$ ;

- $R^5$  is a member selected from the group consisting of phenyl substituted with 0-2  $R^{5a}$ , thienyl, naphthyl, and  $CH_2R^{5b}$ ,  $CH_2CH_2$ (cyclohexyl),  $CH_2CH_2CH_2$ (cyclohexyl),  $CH_2CH_2Ph$ ,  $CH(CH_3)R^{5c}$ ,  $CH_2CH=CHPh$ ,  $-CH_2OCH_2Ph$ ,  $-CH(CH_3)OCH_2Ph$ ; each  $R^{5a}$  is independently a member selected from the group consisting of F, Cl,  $NO_2$ ,  $OCH_3$ ,  $OCH_2Ph$ ,  $OPh$ ,  $CH_3$ ,  $OCF_3$  and  $CF_3$ ;
- $R^{5b}$  is independently a member selected from the group consisting of phenyl substituted with 0-2  $R^{5c}$ ; cyclopentyl, cyclohexyl, naphthyl, indolyl and pyridyl;
- $R^{5c}$  is independently a member selected from the group consisting of OH, Cl, F, Br, I, CN,  $NO_2$ ,  $CH_3$ ,  $OCH_3$ ,  $tBu$ ,  $O-tBu$ ,  $-NHC(=O)CH_3$ ,  $CF_3$ ,  $OCF_3$ ; phenyl substituted with 0-2  $R^{5d}$ ; phenoxy substituted with 0-2  $R^{5d}$ ; benzyloxy substituted with 0-2  $R^{5d}$ ; pyridyl substituted with 0-2  $R^{5d}$ ; pyrimidinyl substituted with 0-2  $R^{5d}$ ; thienyl substituted with 0-2  $R^{5d}$ ;
- $R^{5d}$  is independently a member selected from the group consisting of  $CH_3$ , Cl, F,  $OCH_3$ ,  $CF_3$ ,  $OCF_3$ ,  $N(CH_3)_2$ , acetyl, OH,  $CH_2OH$ ,  $NH_2$ , CN and  $NO_2$ ;
- $R^{5e}$  is phenyl substituted with 0-2  $R^{5a}$ ;
- $R^6$  is a member selected from the group consisting of phenyl substituted with 0-3  $R^{6a}$ , furanyl substituted with 0-2  $R^{6b}$ , thienyl substituted with 0-2  $R^{6b}$ , oxazolyl substituted with 0-2  $R^{6b}$ , thiazolyl substituted with 0-2  $R^{6b}$ , pyridyl, pyridazinyl and cyclopropyl;
- each  $R^{6a}$  is independently a member selected from the group consisting of Cl, F, Br,  $OCF_3$ ,  $CF_3$ ,  $C_1-C_4$  alkyl,  $C_1-C_4$  alkoxy,  $-S(=O)_2CH_3$ , CN,  $-N(CH_3)_2$ ,  $OCF_2H$ ,  $-CH_2$ -benzimidazole,  $-NH-S(=O)_2CH_3$ ,  $-NR^{13}R^{14}$ ,  $OR^{14}$ ,  $CH_2$ -morpholine,  $CH_2NH_2$ ,  $OCH_2Ph$ , and  $OPh$ ;
- alternatively, two  $R^{6a}$  substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);
- each  $R^{6b}$  is independently a member selected from the group consisting of  $NH_2$ , F, Cl, Br,  $-S(=O)_2R^{15}$ ,  $CH_3$ , and  $CF_3$ ;
- $R^7$  is a member selected from the group consisting of  $(CH_2)_p R^{7a}$ , and naphthyl substituted with 0-2  $R^{7b}$ ;

p is the integer 0, 1, or 2;

R<sup>7a</sup> is phenyl substituted with 0-2 R<sup>7b</sup>;

R<sup>7b</sup> is a member selected from the group consisting of F, Cl, CF<sub>3</sub>, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OCF<sub>3</sub>, phenoxy and acetyl;

alternatively, two R<sup>7b</sup> substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);

R<sup>8</sup> is -CH<sub>2</sub>-R<sup>3b</sup>;

R<sup>9</sup> is (CH<sub>2</sub>)<sub>q</sub>R<sup>9a</sup>;

R<sup>9a</sup> is a member selected from the group consisting of cyclopentyl, phenyl and cyclohexyl;

q is the integer 1 or 2;

R<sup>10</sup> is a member selected from the group consisting of phenyl substituted with 0-2 R<sup>10a</sup>, 5 membered heteroaryl containing 1 to 4 heteroatoms each independently a member selected from the group consisting of N, O and S, wherein said heteroaryl is substituted with 0-2 R<sup>10a</sup>, 6 membered heteroaryl containing 1 to 2 N, wherein said heteroaryl is substituted with 0-2 R<sup>10a</sup>, morpholinyl substituted with 0-2 R<sup>10a</sup>, piperazinyl substituted with 0-2 R<sup>10a</sup> and piperidinyl substituted with 0-2 R<sup>10a</sup>; each R<sup>10a</sup> is independently a member selected from the group consisting of Cl, F, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OCF<sub>3</sub>, and CF<sub>3</sub>;

alternatively, two R<sup>10a</sup> substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical comprises 1 or 2 heteroatom(s);

Z is phenylene;

R<sup>11</sup> is a member selected from the group consisting of indolyl substituted with 0-2 R<sup>11a</sup>, benzofuranyl substituted with 0-2 R<sup>11a</sup>, benzothienyl substituted with 0-2 R<sup>11a</sup>, benzothiazolyl substituted with 0-2 R<sup>11a</sup>, benzisoxazolyl substituted with 0-2 R<sup>11a</sup>, benzoxazolyl substituted with 0-2 R<sup>11a</sup>, and pyrazolo[1,5-a]pyrimidinyl substituted with 0-2 R<sup>11a</sup>, piperidinyl N-substituted with 0-1 R<sup>11b</sup>, morpholinyl N-substituted with 0-1 R<sup>11b</sup>; and 2-oxo-pyrrolidinyl with 0-1 R<sup>11b</sup>;

each R<sup>11a</sup> is independently a member selected from the group consisting of Cl, F, NH<sub>2</sub>, CH<sub>3</sub>, OCH<sub>3</sub>, -C(=O)OCH<sub>3</sub>, OCF<sub>3</sub>, and CF<sub>3</sub>;

each R<sup>11b</sup> is independently a member selected from the group consisting of pyrimidinyl substituted with 0-2 R<sup>11c</sup>; benzyl, acetyl, CH<sub>2</sub>-furanyl, and CH<sub>2</sub>-thienyl;

each R<sup>11c</sup> is independently a member selected from the group consisting of Br and CH<sub>3</sub>;  
R<sup>12</sup> is (CH<sub>2</sub>)<sub>s</sub>R<sup>12a</sup>;

R<sup>12a</sup> is a member selected from the group consisting of cyclopentyl and cyclohexyl;  
s is the integer 1 or 2;

R<sup>13</sup> is a member selected from the group consisting of H and C<sub>1</sub>-C<sub>4</sub> alkyl;

R<sup>14</sup> is pyrimidinyl substituted with 0-2 R<sup>16</sup>;

R<sup>15</sup> is a member selected from the group consisting of C<sub>1</sub>-C<sub>4</sub> alkyl, morpholinyl, pyrrolidinyl and piperidinyl;

R<sup>16</sup> is a member selected from the group consisting of CH<sub>3</sub> and OCH<sub>3</sub>;

each of R<sup>17</sup> and R<sup>18</sup> is independently a member of H, OH, F, phenyl and C<sub>1</sub>-C<sub>3</sub> alkyl;  
alternatively, R<sup>17</sup> and R<sup>18</sup> may be taken together to form a C<sub>3</sub>-C<sub>6</sub> cycloalkyl;

Ar is a phenyl substituted with 0-2 R<sup>19</sup>;

each R<sup>19</sup> is independently a member selected from the group consisting of F, Cl, COOH, C<sub>1</sub>-C<sub>4</sub> alkoxy, OCHF<sub>2</sub> and OCF<sub>3</sub>;  
and a pharmaceutically acceptable excipient.

10. (Currently amended) The composition of claim 9, wherein said compound is a member selected from the compounds of Table I:

TABLE I

- i. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-3-phenylpropyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- ii. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(2-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- iii. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(3-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- iv. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(4-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;

- v. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(tetrahydro-2H-pyran-4-yl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- vi. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-cyclopentylethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- vii. (S)-N-{2-[4-(2,3-Dimethyl-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- viii. (±)-N-((2-(4-methoxyphenylamino)ethylcarbamoyl)(4-chlorophenyl)methyl)-3-methylbenzamide;
- ix. (±)-N-((2-(4-methoxyphenylamino)ethylcarbamoyl)(phenyl)-methyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- x. N-((S)-1-(2-(4-(difluoromethoxy)phenylamino)ethylcarbamoyl)-2-cyclohexylethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- xi. 4-[2-(3-Cyclohexyl-2-(S)-{[5-(3-trifluoromethyl-phenyl)-furan-2-carbonyl]-amino}-propionylamino)-ethylamino]-benzoic acid;
- xii. 2-[2-(3-Cyclohexyl-2-(S)-{[5-(3-trifluoromethyl-phenyl)-furan-2-carbonyl]-amino}-propionylamino)-ethylamino]-benzoic acid;
- xiii. 4-Cyclohexyl-2-(S)-(2-(R)-phenyl-propionylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-butyramide;
- xiv. Acetyl-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xv. (S)-2-{2-[4-(4-Acetyl-piperazin-1-yl)-phenoxy]-acetyl-amino}-3-cyclohexyl-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xvi. (S)-2-Chloro-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3-methyl-benzamide;
- xvii. Cyclohexyl-2-[2-(4-methoxy-phenyl)-acetyl-amino]-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xviii. (S)-N-{2-[4-(3,5-Dichloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xix. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methanesulfonyl-benzamide;

- xx. (S)-4-Benzoyloxy-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3,5-dimethyl-benzamide;
- xxi. (S)-4-Methoxy-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3,5-dimethyl-benzamide;
- xxii. 5-Methoxy-1H-indole-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxiii. (S)-3-Bromo-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-4-methyl-benzamide;
- xxiv. Furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxv. Thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxvi. Furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxvii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(5-methyl-[1,2,4]oxadiazol-3-yl)-benzamide;
- xxviii. 5-(4-Fluoro-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxix. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-2,4,5-trimethyl-benzamide;
- xxx. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-2,4,5-trimethyl-benzamide;
- xxxi. 5-(3-Fluoro-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxii. Benzyl-morpholine-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxiii. (S)-N-{2-[4-(4-Dimethylamino-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xxxiv. 2'-Chloro-biphenyl-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- xxxv. 5-(2-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxvi. 5-(3-Fluoro-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxvii. Thiophene-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxviii. Oxo-1-thiophen-2-ylmethyl-pyrrolidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxix. Furan-2-ylmethyl-5-oxo-pyrrolidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl. Methyl-5-(pyrrolidine-1-sulfonyl)-furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xli. (S)-1-Phenyl-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- xl.ii. 5-p-Tolyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl.iii. Benzoimidazol-1-ylmethyl-N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- xl.ii. (S)-1-(4-Chloro-phenyl)-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- xl.ii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-p-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- xl.ii. Cyclohexyl-2-(S)-(2-tetrazol-1-yl-acetylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xl.ii. 5-m-Tolyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl.ii. 2,7-Dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl.ii. 2-Methyl-5-(morpholine-4-sulfonyl)-furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- i. 5-(3-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ii. 5-m-Tolyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- iii. (S)-2,3-Dihydro-benzofuran-7-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- liii. Methanesulfonyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- liv. 2-Phenyl-thiazole-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lv. (S)-3-Cyano-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-benzamide;
- lvi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- lvii. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-3-phenyl-2-(3-phenyl-ureido)-propionamide;
- lviii. 3-Cyclohexyl-2-(S)-(2-(S)-hydroxy-2-phenyl-acetyl-amino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- lix. Benzo[c]isoxazole-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lx. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-difluoromethoxy-benzamide;
- lxi. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-isopropoxy-benzamide;
- lxii. Phenyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxiii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-nicotinamide;
- lxiv. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-isonicotinamide;



- lxv. Phenyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxvi. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-o-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- lxvii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-oxazol-5-yl-benzamide;
- lxviii. 5-(3-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxix. 5-(2-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxx. 5-p-Tolyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxi. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-[(4,6-dimethyl-pyrimidin-2-yl)-methyl-amino]-benzamide;
- lxxii. 1-(4,6-Dimethyl-pyrimidin-2-yl)-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxiii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-(4,6-dimethoxy-pyrimidin-2-yloxy)-benzamide;
- lxxiv. 3'-Methoxy-biphenyl-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxv. N-{3-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-2-(R)-phenyl-butyramide;
- lxxvi. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-thiophen-2-yl-acetyl-amino)-propionamide;
- lxxvii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-thiophen-3-yl-acetyl-amino)-propionamide;
- lxxviii. (S)-3-Bromo-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-benzamide;
- lxxix. Acetyl-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- lxxx. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethoxy-pyrimidin-2-yl)-benzamide;
- lxxxi. 1-(5-Bromo-pyrimidin-2-yl)-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxxii. (S)-2-(2-Cyclopent-2-enyl-acetyl-amino)-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- lxxxiii. Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(2-1H-indol-3-yl-acetyl-amino)-propionamide;
- lxxxiv. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-3-methanesulfonylamino-benzamide;
- lxxxv. 5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxxvi. Cyclohexyl-2-(S)-(2-(R,S)-fluoro-2-phenyl-acetyl-amino)-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- lxxxvii. Cyclohexyl-N-(S)-[2-(4-fluoro-phenylamino)-ethyl]-2-[2-(4-trifluoromethoxy-phenyl)-acetyl-amino]-propionamide;
- lxxxviii. (S)-2-[3-(4-Chloro-phenyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- lxxxix. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-[3-(4-phenoxy-phenyl)-ureido]-3-phenyl-propionamide;
- xc. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-(3-phenethyl-ureido)-3-phenyl-propionamide;
- xc. (S)-2-[3-(4-Fluoro-benzyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- xcii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethyl-pyrimidin-2-ylamino)-benzamide;
- xciii. 1-(5-Bromo-pyrimidin-2-yl)-piperidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xciv. (S)-2-(3-Benzof[1,3] dioxol-5-yl-ureido)-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;

- xcv. 3-Cyclohexyl-2-(S)-[2-(2,5-difluorophenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- xcvi. (S)-2-[3-(3-Fluoro-benzyl)-ureido]-N-[2-(4-methoxy-phenyl-amino)-ethyl]-3-phenyl-propionamide;
- xcvii. (S)-N-[2-(4-Methoxy-phenyl-amino)-ethyl]-3-phenyl-2-(3-o-tolyl-ureido)-propionamide;
- xcviii. (S)-N-{2-[4-(3,4-Dichloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenyl-amino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xcix. 3-Cyclohexyl-2-(S)-[2-(3,4-difluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- c. 3-Cyclohexyl-2-(S)-[2-(2,4-difluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- ci. (S)-N-[2-(4-Methoxy-phenyl-amino)-ethyl]-2-(3-naphthalen-1-yl-ureido)-3-phenyl-propionamide;
- cii. (S)-2-[3-(2-tert-Butyl-6-methyl-phenyl)-ureido]-N-[2-(4-methoxy-phenyl-amino)-ethyl]-3-phenyl-propionamide;
- ciii. (S)-2-[3-(4-Acetyl-phenyl)-ureido]-N-[2-(4-methoxy-phenyl-amino)-ethyl]-3-phenyl-propionamide;
- civ. (S)-N-[2-(4-Methoxy-phenyl-amino)-ethyl]-2-[3-(3-methoxy-phenyl)-ureido]-3-phenyl-propionamide;
- cv. (S)-Biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenyl-amino)-ethylcarbamoyl]-ethyl}-amide;
- cvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenyl-amino)-ethylcarbamoyl]-ethyl}-3-trifluoromethyl-benzamide;
- cvii. 2-(S)-[2-(2-Chloro-4-fluoro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cviii. (S)-2-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenyl-amino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cix. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-methoxy-phenyl-amino)-ethylcarbamoyl]-ethyl}-benzamide;

- cx. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,5-dimethyl-benzamide;
- cxi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methoxy-3,5-dimethyl-benzamide;
- cxii. (S)-3-Bromo-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methyl-benzamide;
- cxiii. (S)-5-Fluoro-1H-indole-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxiv. (S)-2-Amino-4-methyl-thiazole-5-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxv. (S)-1-Phenyl-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxvi. (S)-1-(4-Chloro-phenyl)-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxvii. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxviii. (S)-3-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-dimethylamino-benzamide;
- cxx. (S)-3-Cyano-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxxi. (S)-4-Cyano-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxxii. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-propionamide;
- cxxiii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- cxxiv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-[1,2,4]triazol-1-yl-benzamide;

- cxxv. 3-Cyclohexyl-2-(S)-[2-(3,5-difluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cxxvi. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-trifluoromethyl-benzamide;
- cxxvii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-4-morpholin-4-yl-benzamide;
- cxxviii. (4-Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(S)-(2-(S)-phenyl-propionylamino)-butyramide;
- cxxix. (S)-4-Benzyloxy-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxxx. (S)-Biphenyl-4-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxi. (S)-5-Chloro-1H-indole-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxii. (S)-5-Fluoro-1H-indole-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxiii. (S)-2-Amino-4-methyl-thiazole-5-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxiv. (S)-5-Chloro-benzofuran-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxv. N-[2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl]-2-(R)-phenyl-butyramide;
- cxxxvi. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxvii. (S)-Benzothiazole-6-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxxxviii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-trifluoromethoxy-benzamide;
- cxxxix. (S)-3-Cyano-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;

- cxl. (S)-4-Cyano-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxli. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;
- cxlii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- cxliii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-4-[1,2,4]triazol-1-yl-benzamide;
- cxliv. (S)-Biphenyl-3-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxlv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- cxlvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,4-difluoro-benzamide;
- cxlvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-fluoro-2-methyl-benzamide;
- cxlviii. (S)-2-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-5-methyl-benzamide;
- cxlix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-fluoro-3-trifluoromethyl-benzamide;
- cl. (S)-5-Methyl-1-phenyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cli. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-propyl-benzamide;
- clii. 3-Cyclohexyl-2-(S)-[2-(4-fluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cliii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methoxy-benzamide;
- cliv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-5-trifluoromethyl-benzamide;

- clv. (S)-3-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- clvi. (S)-5-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- clvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-5-fluoro-2-methyl-benzamide;
- clviii. (S)-1-Phenyl-cyclopropanecarboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clix. (S)-3-Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(2-phenylamino-acetyl-amino)-propionamide;
- clx. 3-Cyclohexyl-2-(S)-(2-(R)-hydroxy-2-phenyl-acetyl-amino)-N-[2-(4-methoxy-phenylamino)-ethyl]-propionamide ;
- clxi. (S)-1-(4-Fluoro-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxii. (S)-1-(4-Methoxy-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxiii. (S)-1-(4-Chloro-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxiv. N-{2-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-butyramide;
- clxv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-fluoro-5-trifluoromethyl-benzamide;
- clxvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-3-trifluoromethyl-benzamide;
- clxvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-fluoro-3-methyl-benzamide;
- clxviii. (S)-5-(4-Chloro-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-4-trifluoromethyl-benzamide;

- clxx. (S)-4'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxi. (S)-3', 5'-Dichloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxii. (S)-3'-Methoxy-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxiii. (S)-3'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxiv. (S)-2'-Methoxy-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxv. (S)-4'-Chloro-biphenyl-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxvi. (S)-4-Benzo[1,3]dioxol-5-yl-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxvii. (S)-5-Bromo-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxviii. (S)-3,5-Dibromo-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxix. (S)-3,5-Dichloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxx. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,5-dimethoxy-benzamide;
- clxxxi. (S)-Biphenyl-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxii. (S)-5-Bromo-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxiii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;
- clxxxiv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-phenoxy-benzamide;



- clxxxv. (S)-1H-Indole-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxvi. (S)-Benzothiazole-6-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxvii. (S)-2-Amino-benzothiazole-6-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxviii. (S)-4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazole-5-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxix. (S)-4-(4-Chloro-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxc. (S)-2-Methyl-5-trifluoromethyl-oxazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxc. (S)-4-(4-Methoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcii. N-{2-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-propionamide;
- cxciii. (S)-5-(2-Chloro-5-trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxciv. (S)-2'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcv. (S)-1-(5-Bromo-pyrimidin-2-yl)-piperidine-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethyl-pyrimidin-2-ylamino)-benzamide;
- cxcvii. (S)-1-(5-Bromo-pyrimidin-2-yl)-piperidine-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcviii. (S)-3'-Fluoro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcix. (S)-3-Aminomethyl-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;

- cc. (S)-N-{2-Cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-morpholin-4-ylmethyl-benzamide;
- cci. (S)-5-(2-Fluoro-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-methyl-benzamide;
- cciii. (S)-N-{4-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-butyl}-3-methyl-benzamide;
- cciv. (S)-N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-phenyl-methyl}-3-methyl-benzamide;
- ccv. (S)-5-(4-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccvi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-3-phenyl-propyl}-3-methyl-benzamide;
- ccvii. (S)-5-(4-Trifluoromethoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-4-phenyl-but-3-enyl}-3-methyl-benzamide;
- ccix. (S)-5-(3-Trifluoromethoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccx. (S)-5-(2-Methoxy-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxi. N-{(4-Methoxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxii. (S)-5-(2-Fluoro-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxiii. (S)-5-(4-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxiv. N-{(2-Benzoyloxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;

- ccxv. (S)-5-(4-Trifluoromethoxy-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxvi. N-[(2-Chloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxvii. N-[(4-Benzyloxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxviii. N-[[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-naphthalen-1-yl-methyl]-3-methyl-benzamide;
- ccxix. (S)-5-(2-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxx. N-[[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-o-tolyl-methyl]-3-methyl-benzamide;
- ccxxi. (S)-N-{2-Cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-[1,2,4]triazol-1-yl-benzamide;
- ccxxii. N-[(2,4-Dichloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxiii. N-[(2,3-Dichloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxiv. N-[(2,4-Dimethyl-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxv. N-[(2,4-Dimethoxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxvi. N-[[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-thiophen-2-yl-methyl]-3-methyl-benzamide;
- ccxxvii. N-[(4-Fluoro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxviii. (S)-N-{2-(4-Hydroxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxix. (S)-N-{2-(2,4-Dichloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- ccxxx. (S)-N-{2-(3,5-Difluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxi. (S)-N-{2-(3,4-Dichloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxii. (S)-4-Benzyloxy-N-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- ccxxxiii. (S)-N-{2-(4-Acetylamino-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxiv. (S)-Biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxxxv. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-p-tolyl-ethyl}-3-methyl-benzamide;
- ccxxxvi. (S)-N-{2-(3-Fluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxvii. (S)-N-{2-(3,4-Difluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-m-tolyl-ethyl}-3-methyl-benzamide;
- ccxxxix. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(2-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccxl. (S)-N-{2-(4-Cyano-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxli. (S)-N-{2-(4-Bromo-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlii. (S)-N-{2-(4-Iodo-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlili. (S)-N-{2-(4-Chloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxliv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-nitro-phenyl)-ethyl]-3-methyl-benzamide;

- ccxlv. (S)-N-{2-(4-Fluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlvi. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxlvii. (S)-N-{2-(4-Benzoyloxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlviii. (S)-N-{2-[4-(2,6-Dichloro-benzoyloxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlix. (S)-N-{2-(4-Methoxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccl. 2-Amino-4-methyl-thiazole-5-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccli. (S)-5-(2-Chloro-5-trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cclii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(3-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccliii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccliv. (S)-N-{2-Benzoyloxy-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclv. (S)-N-{2-(4-tert-Butyl-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclvi. Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(S)-(2-(S)-phenyl-propionylamino)-butyramide;
- cclvii. (S)-N-{2-(1H-Indol-3-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-naphthalen-1-yl-ethyl}-3-methyl-benzamide;
- cclix. (S)-N-{2-Benzoyloxy-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-methyl-benzamide;

- cclx. 3-Cyclohexyl-2-(S)-[2-(3-fluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cclxi. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-naphthalen-2-yl-ethyl]-3-methyl-benzamide;
- cclxii. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-pyridin-3-yl-ethyl]-3-methyl-benzamide;
- cclxiii. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-pyridin-4-yl-ethyl]-3-methyl-benzamide;
- cclxiv. Furan-2-carboxylic acid (S)-[2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethyl-carbamoyl]-ethyl]-amide;
- cclxv. 3-Cyclohexyl-N-[2-(4-fluoro-phenyl-amino)-ethyl]-2-(S)-(2-tetrazol-1-yl-acetyl-amino)-propionamide;
- cclxvi. N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-(4-nitro-phenyl)-propyl]-3-methyl-benzamide;
- cclxvii. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-(4-m-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- cclxviii. threo-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-phenyl-propyl]-3-methyl-benzamide;
- cclxix. erythro-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-phenyl-propyl]-3-methyl-benzamide;
- cclxx. (S)-N-[2-Biphenyl-4-yl-1-[2-(4-methoxy-phenyl-amino)-ethyl-carbamoyl]-ethyl]-3-methyl-benzamide;
- cclxxi. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-(3'-nitro-biphenyl-4-yl)-ethyl]-3-methyl-benzamide;
- cclxxii. Furan-3-carboxylic acid (S)-[2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethyl-carbamoyl]-ethyl]-amide;
- cclxxiii. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-(2'-nitro-biphenyl-4-yl)-ethyl]-3-methyl-benzamide;
- cclxxiv. (S)-N-[1-[2-(4-Methoxy-phenyl-amino)-ethyl-carbamoyl]-2-(4-pyridin-3-yl-phenyl)-ethyl]-3-methyl-benzamide;

- cclxxv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-thiophen-3-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxvi. (S)-N-{2-(4'-Cyano-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-pyridin-4-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxviii. (S)-N-{2-(4'-Chloro-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxix. (S)-N-{2-(2',3'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxx. (S)-N-{2-(3'-Amino-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxi. (S)-N-{2-(3',4'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxii. (S)-N-{2-(4'-Hydroxymethyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxiii. (S)-N-{2-(5'-Fluoro-2'-methoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxiv. (S)-N-{2-(3'-Hydroxymethyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxv. (S)-N-{2-(2',5'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxvi. (S)-N-{2-(2',5'-Dichloro-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxvii. (S)-N-{2-(4'-Dimethylamino-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxviii. (S)-N-{2-(2'-Acetyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxix. (S)-N-{2-(4'-Hydroxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;


- ccxc. (S)-N-{2-(3'-Acetyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxci. (S)-N-{2-[4-(2,4-Dimethoxy-pyrimidin-5-yl)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxcii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-[4-(6-methoxy-pyridin-3-yl)-phenyl]-ethyl}-3-methyl-benzamide;
- ccxciii. Methanesulfonyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxciv. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-propionamide;
- ccxcv. Pyridazine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxcvi. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-3-methanesulfonyl-benzamide;
- ccxcvii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-1H-tetrazol-5-yl-acetylamino)-propionamide;
- ccxcviii. Cyclopropanecarboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxcix. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-4-methanesulfonylamino-benzamide;
- ccc. (S)-N-{2-[4-(4-Chloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccci. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-methoxy-phenyl)-acetylamino]-propionamide;
- cccii. 2-(S)-[2-(3-Chloro-phenyl)-acetylamino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- ccciii. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-phenylacetylamino-propionamide;
- ccciv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-o-tolyl-acetylamino)-propionamide;



- cccv. 2-(S)-[2-(4-Chloro-phenyl)-acetylamino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cccv. 3-Cyclohexyl-2-(S)-[2-(2-fluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cccvi. 3-Cyclohexyl-2-(S)-diphenylacetylamino-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cccviii. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-2-(2-fluoro-biphenyl-4-yl)-propionamide;
- cccix. N-[2-cyclohexyl-1-(S)-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-2-p-tolyl-propionamide;
- ccc. N-[2-cyclohexyl-1-(S)-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-2-(4-fluoro-phenyl)-propionamide;
- cccxi. N-[2-cyclohexyl-1-(S)-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-2-(4-hydroxy-phenyl)-propionamide;
- cccxi. 2-(4-Chloro-phenyl)-N-[2-cyclohexyl-1-(S)-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-propionamide;
- cccxi. N-(S)-[2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-4-methanesulfonyl-benzamide;
- cccxi. Thiazole-4-carboxylic acid (S)-[2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-amide;
- cccxi. N-[2-cyclohexyl-1-(S)-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-2-(R)-phenyl-propionamide;
- cccxi. 4-Cyano-N-(S)-[2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-benzamide;
- cccxi. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-(R)-hydroxy-2-phenyl-acetylamino)-propionamide;
- cccxi. N-[2-cyclohexyl-1-(S)-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-2-(R)-phenyl-butyramide;
- cccxi. Phenyl-cyclopropanecarboxylic acid (S)-[2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl]-amide;


- cccxx. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R,S)-(4-fluoro-phenyl)-propionamide;
- cccxxi. Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxxii. 5-(4-Fluoro-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cccxxiii. Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(3-trifluoromethyl-phenyl)-acetylamino]-propionamide;
- cccxxiv. Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxxv. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-trifluoromethyl-phenyl)-acetylamino]-propionamide;
- cccxxvi. 3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-methanesulfonyl-phenyl)-acetylamino]-propionamide;
- cccxxvii. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-phenoxy-phenyl)-ethyl]-3-methyl-benzamide;
- cccxxviii. (S)-N-{2-[4-(4-Methoxy-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccxxix. (S)-N-{2-[4-(3-Chloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccxxx. (S)-N-{2-[4-(3,5-Dimethyl-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide.


11. (Original) A method of selectively inhibiting cathepsin S activity in a mammal in need thereof, comprising administering to said mammal a therapeutically effective amount of a compound of Formula I:



or a pharmaceutically acceptable salt or prodrug thereof,  
wherein:

W is a member selected from the group consisting of





$R^1$  is a member selected from the group consisting of phenyl substituted with 0-2  $R^{1a}$ ,  
pyridyl substituted with 0-2  $R^{1a}$ , and pyridinium N-oxide substituted with 0-2  $R^{1a}$ ;  
each  $R^{1a}$  is independently a member selected from the group consisting of Cl, F,  $OCF_3$ ,  
 $OCH_3$ ,  $CH_3$  and  $CF_3$ ;

X is a member selected from the group consisting of furanylene substituted with 0-1  $R^x$ ,  
thienylene substituted with 0-1  $R^x$ , pyrazolylene substituted with 0-1  $R^x$ ,  
thiazolylene substituted with 0-1  $R^x$ , and oxazolylene substituted with 0-1  $R^x$ ;

$R^x$  is a member selected from the group consisting of F, Cl,  $CH_3$  and  $CF_3$ ;

$R^2$  is a member selected from the group consisting of phenyl substituted with 0-2  $R^{2a}$ ,  
and  $(CH_2)_nR^{2b}$ ;

each  $R^{2a}$  is independently a member selected from the group consisting of Cl, F,  $OCF_3$ ,  
 $OCH_3$ ,  $CH_3$  and  $CF_3$ ;

$R^{2b}$  is independently a member selected from the group consisting of phenyl substituted  
with 0-2  $R^{2a}$ ; cyclopentyl, cyclohexyl and tetrahydropyranyl;

n is the integer 1 or 2;

$R^3$  is  $(CH_2)_mR^{3b}$ ;

$R^{3b}$  is selected from the group consisting of phenyl substituted with 0-2  $R^{2a}$ , cyclopentyl  
and cyclohexyl;

m is the integer 1 or 2;

$R^4$  is a member selected from the group consisting of phenyl substituted with 0-3  $R^{4a}$ ,  
thienyl, tetrazolyl, cyclopentenyl and indolyl;

each  $R^{4a}$  is a member selected from the group consisting of phenyl, OH,  $C_1$ - $C_4$  alkyl,  $C_1$ -  
 $C_4$  alkoxy,  $CF_3$ ,  $OCF_3$ , F, Cl,  $CH_3S(=O)_2$ -, morpholinyl, pyrrolidinyl, piperidinyl  
and 4-acetylpiperazinyl;

Y is a member selected from the group consisting of  $-CR^{17}R^{18}$ ,  $-NH-CH_2-$  and  $-O-CH_2-$ ;

$R^5$  is a member selected from the group consisting of phenyl substituted with 0-2  $R^{5a}$ , thienyl, naphthyl, and  $CH_2R^{5b}$ ,  $CH_2CH_2$ (cyclohexyl),  $CH_2CH_2CH_2$ (cyclohexyl),  $CH_2CH_2Ph$ ,  $CH(CH_3)R^{5c}$ ,  $CH_2CH=CHPh$ ,  $-CH_2OCH_2Ph$ ,  $-CH(CH_3)OCH_2Ph$ ; each  $R^{5a}$  is independently a member selected from the group consisting of F, Cl,  $NO_2$ ,  $OCH_3$ ,  $OCH_2Ph$ ,  $OPh$ ,  $CH_3$ ,  $OCF_3$  and  $CF_3$ ;

$R^{5b}$  is independently a member selected from the group consisting of phenyl substituted with 0-2  $R^{5c}$ ; cyclopentyl, cyclohexyl, naphthyl, indolyl and pyridyl;

$R^{5c}$  is independently a member selected from the group consisting of OH, Cl, F, Br, I, CN,  $NO_2$ ,  $CH_3$ ,  $OCH_3$ ,  $tBu$ ,  $O-tBu$ ,  $-NHC(=O)CH_3$ ,  $CF_3$ ,  $OCF_3$ ; phenyl substituted with 0-2  $R^{5d}$ ; phenoxy substituted with 0-2  $R^{5d}$ ; benzyloxy substituted with 0-2  $R^{5d}$ ; pyridyl substituted with 0-2  $R^{5d}$ ; pyrimidinyl substituted with 0-2  $R^{5d}$ ; thienyl substituted with 0-2  $R^{5d}$ ;

$R^{5d}$  is independently a member selected from the group consisting of  $CH_3$ , Cl, F,  $OCH_3$ ,  $CF_3$ ,  $OCF_3$ ,  $N(CH_3)_2$ , acetyl, OH,  $CH_2OH$ ,  $NH_2$ , CN and  $NO_2$ ;

$R^{5e}$  is phenyl substituted with 0-2  $R^{5a}$ ;

$R^6$  is a member selected from the group consisting of phenyl substituted with 0-3  $R^{6a}$ , furanyl substituted with 0-2  $R^{6b}$ , thienyl substituted with 0-2  $R^{6b}$ , oxazolyl substituted with 0-2  $R^{6b}$ , thiazolyl substituted with 0-2  $R^{6b}$ , pyridyl, pyridazinyl and cyclopropyl;

each  $R^{6a}$  is independently a member selected from the group consisting of Cl, F, Br,  $OCF_3$ ,  $CF_3$ ,  $C_1-C_4$  alkyl,  $C_1-C_4$  alkoxy,  $-S(=O)_2CH_3$ , CN,  $-N(CH_3)_2$ ,  $OCF_2H$ ,  $-CH_2$ -benzimidazole,  $-NH-S(=O)_2CH_3$ ,  $-NR^{13}R^{14}$ ,  $OR^{14}$ ,  $CH_2$ -morpholine,  $CH_2NH_2$ ,  $OCH_2Ph$ , and  $OPh$ ;

alternatively, two  $R^{6a}$  substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);

each  $R^{6b}$  is independently a member selected from the group consisting of  $NH_2$ , F, Cl, Br,  $-S(=O)_2R^{15}$ ,  $CH_3$ , and  $CF_3$

$R^7$  is a member selected from the group consisting of  $(CH_2)_p R^{7a}$ , and naphthyl substituted with 0-2  $R^{7b}$ ;

p is the integer 0, 1, or 2;

R<sup>7a</sup> is phenyl substituted with 0-2 R<sup>7b</sup>;

R<sup>7b</sup> is a member selected from the group consisting of F, Cl, CF<sub>3</sub>, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OCF<sub>3</sub>, phenoxy and acetyl;

alternatively, two R<sup>7b</sup> substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical has 1 or 2 oxygen atom(s);

R<sup>8</sup> is -CH<sub>2</sub>-R<sup>3b</sup>;

R<sup>9</sup> is (CH<sub>2</sub>)<sub>q</sub>R<sup>9a</sup>;

R<sup>9a</sup> is a member selected from the group consisting of cyclopentyl, phenyl and cyclohexyl;

q is the integer 1 or 2;

R<sup>10</sup> is a member selected from the group consisting of phenyl substituted with 0-2 R<sup>10a</sup>, 5 membered heteroaryl containing 1 to 4 heteroatoms each independently a member selected from the group consisting of N, O and S, wherein said heteroaryl is substituted with 0-2 R<sup>10a</sup>, 6 membered heteroaryl containing 1 to 2 N, wherein said heteroaryl is substituted with 0-2 R<sup>10a</sup>, morpholinyl substituted with 0-2 R<sup>10a</sup>, piperazinyl substituted with 0-2 R<sup>10a</sup> and piperidinyl substituted with 0-2 R<sup>10a</sup>; each R<sup>10a</sup> is independently a member selected from the group consisting of Cl, F, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, OCF<sub>3</sub>, and CF<sub>3</sub>;

alternatively, two R<sup>10a</sup> substituents on adjacent atoms may be combined to form a 5 to 6 membered heterocyclic fused radical, wherein said 5 to 6 membered heterocyclic fused radical comprises 1 or 2 heteroatom(s);

Z is phenylene;

R<sup>11</sup> is a member selected from the group consisting of indolyl substituted with 0-2 R<sup>11a</sup>, benzofuranyl substituted with 0-2 R<sup>11a</sup>, benzothienyl substituted with 0-2 R<sup>11a</sup>, benzothiazolyl substituted with 0-2 R<sup>11a</sup>, benzisoxazolyl substituted with 0-2 R<sup>11a</sup>, benzoxazolyl substituted with 0-2 R<sup>11a</sup>, and pyrazolo[1,5-a]pyrimidinyl substituted with 0-2 R<sup>11a</sup>, piperidinyl N-substituted with 0-1 R<sup>11b</sup>, morpholinyl N-substituted with 0-1 R<sup>11b</sup>; and 2-oxo-pyrrolidinyl with 0-1 R<sup>11b</sup>;

each  $R^{11a}$  is independently a member selected from the group consisting of Cl, F,  $NH_2$ ,  $CH_3$ ,  $OCH_3$ ,  $-C(=O)OCH_3$ ,  $OCF_3$ , and  $CF_3$ ;  
each  $R^{11b}$  is independently a member selected from the group consisting of pyrimidinyl substituted with 0-2  $R^{11c}$ ; benzyl, acetyl,  $CH_2$ -furanyl, and  $CH_2$ -thienyl;  
each  $R^{11c}$  is independently a member selected from the group consisting of Br and  $CH_3$ ;  
 $R^{12}$  is  $(CH_2)_sR^{12a}$ ;  
 $R^{12a}$  is a member selected from the group consisting of cyclopentyl and cyclohexyl;  
 $s$  is the integer 1 or 2;  
 $R^{13}$  is a member selected from the group consisting of H and  $C_1$ - $C_4$  alkyl;  
 $R^{14}$  is pyrimidinyl substituted with 0-2  $R^{16}$ ;  
 $R^{15}$  is a member selected from the group consisting of  $C_1$ - $C_4$  alkyl, morpholinyl, pyrrolidinyl and piperidinyl;  
 $R^{16}$  is a member selected from the group consisting of  $CH_3$  and  $OCH_3$ ;  
each of  $R^{17}$  and  $R^{18}$  is independently a member of H, OH, F, phenyl and  $C_1$ - $C_3$  alkyl; alternatively,  $R^{17}$  and  $R^{18}$  may be taken together to form a  $C_3$ - $C_6$  cycloalkyl;  
Ar is a phenyl substituted with 0-2  $R^{19}$ ; and  
each  $R^{19}$  is independently a member selected from the group consisting of F, Cl,  $COOH$ ,  $C_1$ - $C_4$  alkoxy,  $OCHF_2$  and  $OCF_3$ .

**12.** (Original) The method of claim **11**, wherein the cathepsin S inhibition constant for a compound of Formula I is less than 10  $\mu M$ .

**13.** (Original) The method of claim **12**, wherein the cathepsin S inhibition constant for a compound of Formula I is less than 1.0  $\mu M$ .

**14.** (Original) The method of claim **13**, wherein the cathepsin S inhibition constant for a compound of Formula I is less than 0.1  $\mu M$ .

**15.** (Original) The method of claim **11**, wherein cathepsin S is selectively inhibited in the presence of cathepsin K.

**16.** (Original) The method of claim **15**, wherein the inhibition constant of a compound of Formula I for cathepsin K is at least 10 times greater than a cathepsin S inhibition constant of a compound of Formula I.

17. (Original) The method of claim 16, wherein the inhibition constant of a compound of Formula I for cathepsin K is at least 100 times greater than said cathepsin S inhibition constant of a compound of Formula I.

18. (Original) The method of claim 17, wherein the inhibition constant of a compound of Formula I for cathepsin K is at least 1000 times greater than said cathepsin S inhibition constant of a compound of Formula I.

19. (Currently amended) The method of claim 11, wherein said compound is a member selected from the compounds of Table I:

TABLE I

- i. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-3-phenylpropyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- ii. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(2-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- iii. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(3-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- iv. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(4-chlorophenyl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- v. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-(tetrahydro-2H-pyran-4-yl)ethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- vi. N-((S)-1-(2-(4-methoxyphenylamino)ethylcarbamoyl)-2-cyclopentylethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- vii. (S)-N-{2-[4-(2,3-Dimethyl-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- viii. (±)-N-((2-(4-methoxyphenylamino)ethylcarbamoyl)(4-chlorophenyl)methyl)-3-methylbenzamide;
- ix. (±)-N-((2-(4-methoxyphenylamino)ethylcarbamoyl)(phenyl)-methyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;
- x. N-((S)-1-(2-(4-(difluoromethoxy)phenylamino)ethylcarbamoyl)-2-cyclohexylethyl)-5-(3-(trifluoromethyl)phenyl)furan-2-carboxamide;

- xi. 4-[2- (3-Cyclohexyl-2-(S)-{ [5-(3-trifluoromethyl-phenyl)-furan-2-carbonyl]-amino}-propionylamino)-ethylamino]-benzoic acid;
- xii. 2-[2- (3-Cyclohexyl-2-(S)-{ [5-(3-trifluoromethyl-phenyl)-furan-2-carbonyl]-amino}-propionylamino)-ethylamino]-benzoic acid;
- xiii. 4-Cyclohexyl-2-(S)-(2-(R)-phenyl-propionylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-butyramide;
- xiv. Acetyl-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xv. (S)-2-{2-[4-(4-Acetyl-piperazin-1-yl)-phenoxy]-acetylamino}-3-cyclohexyl-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xvi. (S)-2-Chloro-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3-methyl-benzamide;
- xvii. Cyclohexyl-2-[2-(4-methoxy-phenyl)-acetylamino]-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xviii. (S)-N-{2-[4-(3,5-Dichloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xix. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methanesulfonyl-benzamide;
- xx. (S)-4-Benzoyloxy-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3,5-dimethyl-benzamide;
- xxi. (S)-4-Methoxy-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3,5-dimethyl-benzamide;
- xxii. 5-Methoxy-1H-indole-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxiii. (S)-3-Bromo-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-4-methyl-benzamide;
- xxiv. Furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;



- xxv. Thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxvi. Furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxvii. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(5-methyl-[1,2,4]oxadiazol-3-yl)-benzamide;
- xxviii. 5-(4-Fluoro-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxix. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-2,4,5-trimethyl-benzamide;
- xxx. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-2,4,5-trimethyl-benzamide;
- xxxi. 5-(3-Fluoro-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxii. Benzyl-morpholine-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxiii. (S)-N-{2-[4-(4-Dimethylamino-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- xxxiv. 2'-Chloro-biphenyl-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxv. 5-(2-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxvi. 5-(3-Fluoro-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxvii. Thiophene-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xxxviii. Oxo-1-thiophen-2-ylmethyl-pyrrolidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- xxxix. Furan-2-ylmethyl-5-oxo-pyrrolidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xl. Methyl-5-(pyrrolidine-1-sulfonyl)-furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xli. (S)-1-Phenyl-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- xlii. 5-p-Tolyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xliii. Benzoimidazol-1-ylmethyl-N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- xliv. (S)-1-(4-Chloro-phenyl)-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;
- xl. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-p-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- xlvi. Cyclohexyl-2-(S)-(2-tetrazol-1-yl-acetylamino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- xlvi. 5-m-Tolyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xlvi. 2,7-Dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xlix. 2-Methyl-5-(morpholine-4-sulfonyl)-furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- i. 5-(3-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- li. 5-m-Tolyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lii. (S)-2,3-Dihydro-benzofuran-7-carboxylic acid {1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-amide;

- liii. Methanesulfonyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- liv. 2-Phenyl-thiazole-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lv. (S)-3-Cyano-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-benzamide;
- lvi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- lvii. (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-3-phenyl-2-(3-phenyl-ureido)-propionamide;
- lviii. 3-Cyclohexyl-2-(S)-(2-(S)-hydroxy-2-phenyl-acetyl-amino)-N-[2-(4-trifluoromethoxy-phenylamino)-ethyl]-propionamide;
- lix. Benzo[c]isoxazole-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lx. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-difluoromethoxy-benzamide;
- lxi. N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-isopropoxy-benzamide;
- lxii. Phenyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxiii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-nicotinamide;
- lxiv. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-isonicotinamide;
- lxv. Phenyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxvi. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-o-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;

- lxvii.    N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-oxazol-5-yl-benzamide;
- lxviii.    5-(3-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxix.    5-(2-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxx.    5-p-Tolyl-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxi.    N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-[(4,6-dimethyl-pyrimidin-2-yl)-methyl-amino]-benzamide;
- lxxii.    1-(4,6-Dimethyl-pyrimidin-2-yl)-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxiii.    N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-(4,6-dimethoxy-pyrimidin-2-yloxy)-benzamide;
- lxxiv.    3'-Methoxy-biphenyl-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxv.    N-{3-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-2-(R)-phenyl-butyramide;
- lxxvi.    3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-thiophen-2-yl-acetylamino)-propionamide;
- lxxvii.    3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-thiophen-3-yl-acetylamino)-propionamide;
- lxxviii.    (S)-3-Bromo-N-{1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-ethyl}-benzamide;
- lxxix.    Acetyl-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxx.    N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethoxy-pyrimidin-2-yl)-benzamide;

- lxxxix.    1-(5-Bromo-pyrimidin-2-yl)-piperidine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxxii.    (S)-2-(2-Cyclopent-2-enyl-acetyl-amino)-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- lxxxiii.    Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(2-1H-indol-3-yl-acetyl-amino)-propionamide;
- lxxxiv.    N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-3-methanesulfonylamino-benzamide;
- lxxxv.    5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- lxxxvi.    Cyclohexyl-2-(S)-(2-(R,S)-fluoro-2-phenyl-acetyl-amino)-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- lxxxvii.    Cyclohexyl-N-(S)-[2-(4-fluoro-phenylamino)-ethyl]-2-[2-(4-trifluoromethoxy-phenyl)-acetyl-amino]-propionamide;
- lxxxviii.    (S)-2-[3-(4-Chloro-phenyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- lxxxix.    (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-[3-(4-phenoxy-phenyl)-ureido]-3-phenyl-propionamide;
- xc.        (S)-N-[2-(4-Methoxy-phenylamino)-ethyl]-2-(3-phenethyl-ureido)-3-phenyl-propionamide;
- xc.        (S)-2-[3-(4-Fluoro-benzyl)-ureido]-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;
- xcii.    N-(S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethyl-pyrimidin-2-ylamino)-benzamide;
- xciii.    1-(5-Bromo-pyrimidin-2-yl)-piperidine-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- xciv.    (S)-2-(3-Benzo[1,3] dioxol-5-yl-ureido)-N-[2-(4-methoxy-phenylamino)-ethyl]-3-phenyl-propionamide;

- xcv.    3-Cyclohexyl-2-(S)-[2-(2,5-difluorophenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- xcvi.    (S)-2-[3-(3-Fluoro-benzyl)-ureido]-N-[2-(4-methoxy-phenyl-amino)-ethyl]-3-phenyl-propionamide;
- xcvii.    (S)-N-[2-(4-Methoxy-phenyl-amino)-ethyl]-3-phenyl-2-(3-o-tolyl-ureido)-propionamide;
- xcviii.    (S)-N-{2-[4-(3,4-Dichloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenyl-amino)-ethyl-carbamoyl]-ethyl}-3-methyl-benzamide;
- xcix.    3-Cyclohexyl-2-(S)-[2-(3,4-difluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- c.        3-Cyclohexyl-2-(S)-[2-(2,4-difluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- ci.        (S)-N-[2-(4-Methoxy-phenyl-amino)-ethyl]-2-(3-naphthalen-1-yl-ureido)-3-phenyl-propionamide;
- cii.        (S)-2-[3-(2-tert-Butyl-6-methyl-phenyl)-ureido]-N-[2-(4-methoxy-phenyl-amino)-ethyl]-3-phenyl-propionamide;
- ciii.        (S)-2-[3-(4-Acetyl-phenyl)-ureido]-N-[2-(4-methoxy-phenyl-amino)-ethyl]-3-phenyl-propionamide;
- civ.        (S)-N-[2-(4-Methoxy-phenyl-amino)-ethyl]-2-[3-(3-methoxy-phenyl)-ureido]-3-phenyl-propionamide;
- cv.        (S)-Biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenyl-amino)-ethyl-carbamoyl]-ethyl}-amide;
- cvi.        (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenyl-amino)-ethyl-carbamoyl]-ethyl}-3-trifluoromethyl-benzamide;
- cvii.        2-(S)-[2-(2-Chloro-4-fluoro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cviii.        (S)-2-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenyl-amino)-ethyl-carbamoyl]-ethyl}-3-methyl-benzamide;

- cix. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cx. (S)-4-Benzoyloxy-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,5-dimethyl-benzamide;
- cxi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methoxy-3,5-dimethyl-benzamide;
- cxii. (S)-3-Bromo-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methyl-benzamide;
- cxiii. (S)-5-Fluoro-1H-indole-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxiv. (S)-2-Amino-4-methyl-thiazole-5-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxv. (S)-1-Phenyl-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxvi. (S)-1-(4-Chloro-phenyl)-5-trifluoromethyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxvii. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxviii. (S)-3-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-dimethylamino-benzamide;
- cxx. (S)-3-Cyano-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxxi. (S)-4-Cyano-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cxxii. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-propionamide;

- cxxiii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- cxxiv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-[1,2,4]triazol-1-yl-benzamide;
- cxxv. 3-Cyclohexyl-2-(S)-[2-(3,5-difluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cxxvi. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-trifluoromethyl-benzamide;
- cxxvii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-4-morpholin-4-yl-benzamide;
- cxxviii. (4-Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(S)-(2-(S)-phenyl-propionylamino)-butyramide;
- cxxix. (S)-4-Benzoyloxy-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxix. (S)-Biphenyl-4-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxix. (S)-5-Chloro-1H-indole-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxixii. (S)-5-Fluoro-1H-indole-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxixiii. (S)-2-Amino-4-methyl-thiazole-5-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxixiv. (S)-5-Chloro-benzofuran-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxixv. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-butyramide;
- cxixvi. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;



- cxvii. (S)-Benzothiazole-6-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxviii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-trifluoromethoxy-benzamide;
- cxix. (S)-3-Cyano-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxl. (S)-4-Cyano-N-{3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-benzamide;
- cxli. N-{2-cyclohexyl-1-(S)-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;
- cxlii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-(2-methyl-thiazol-4-yl)-benzamide;
- cxliii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-4-[1,2,4]triazol-1-yl-benzamide;
- cxliv. (S)-Biphenyl-3-carboxylic acid {3-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-amide;
- cxlv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- cxlvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,4-difluoro-benzamide;
- cxlvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-fluoro-2-methyl-benzamide;
- cxlviii. (S)-2-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-5-methyl-benzamide;
- cxlix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-fluoro-3-trifluoromethyl-benzamide;
- cl. (S)-5-Methyl-1-phenyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- cli. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-propyl-benzamide;
- clii. 3-Cyclohexyl-2-(S)-[2-(4-fluoro-phenyl)-acetylamino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cliii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-methoxy-benzamide;
- cliv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-5-trifluoromethyl-benzamide;
- clv. (S)-3-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- clvi. (S)-5-Chloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-benzamide;
- clvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-5-fluoro-2-methyl-benzamide;
- clviii. (S)-1-Phenyl-cyclopropanecarboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clix. (S)-3-Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(2-phenylamino-acetylamino)-propionamide;
- clx. 3-Cyclohexyl-2-(S)-(2-(R)-hydroxy-2-phenyl-acetylamino)-N-[2-(4-methoxy-phenylamino)-ethyl]-propionamide ;
- clxi. (S)-1-(4-Fluoro-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxii. (S)-1-(4-Methoxy-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxiii. (S)-1-(4-Chloro-phenyl)-5-methyl-1H-pyrazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxiv. N-{2-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-butyramide;

- clxv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-fluoro-5-trifluoromethyl-benzamide;
- clxvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-3-trifluoromethyl-benzamide;
- clxvii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-fluoro-3-methyl-benzamide;
- clxviii. (S)-5-(4-Chloro-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxix. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-fluoro-4-trifluoromethyl-benzamide;
- clxx. (S)-4'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxi. (S)-3', 5'-Dichloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxii. (S)-3'-Methoxy-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxiii. (S)-3'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxiv. (S)-2'-Methoxy-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxv. (S)-4'-Chloro-biphenyl-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxvi. (S)-4-Benzo[1,3]dioxol-5-yl-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxvii. (S)-5-Bromo-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxviii. (S)-3,5-Dibromo-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;

- clxxix. (S)-3,5-Dichloro-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- clxxx. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3,5-dimethoxy-benzamide;
- clxxxi. (S)-Biphenyl-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxii. (S)-5-Bromo-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxiii. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-phenoxy-benzamide;
- clxxxiv. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-phenoxy-benzamide;
- clxxxv. (S)-1H-Indole-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxvi. (S)-Benzothiazole-6-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxvii. (S)-2-Amino-benzothiazole-6-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxviii. (S)-4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazole-5-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- clxxxix. (S)-4-(4-Chloro-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxc. (S)-2-Methyl-5-trifluoromethyl-oxazole-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxc. (S)-4-(4-Methoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cxcii. N-{2-Cyclohexyl-1-(S)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-propionamide;

- exciii. (S)-5-(2-Chloro-5-trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- exciv. (S)-2'-Chloro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- excv. (S)-1-(5-Bromo-pyrimidin-2-yl)-piperidine-4-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- excvi. (S)-N-{2-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-(4,6-dimethyl-pyrimidin-2-ylamino)-benzamide;
- excvii. (S)-1-(5-Bromo-pyrimidin-2-yl)-piperidine-3-carboxylic acid {2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- excviii. (S)-3'-Fluoro-biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- excix. (S)-3-Aminomethyl-N-{2-cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cc. (S)-N-{2-Cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-morpholin-4-ylmethyl-benzamide;
- cci. (S)-5-(2-Fluoro-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccii. (S)-N-{3-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-methyl-benzamide;
- cciii. (S)-N-{4-Cyclohexyl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-butyl}-3-methyl-benzamide;
- cciv. (S)-N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-phenyl-methyl}-3-methyl-benzamide;
- ccv. (S)-5-(4-Trifluoromethyl-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccvi. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-3-phenyl-propyl}-3-methyl-benzamide;

- ccvii. (S)-5-(4-Trifluoromethoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-4-phenyl-but-3-enyl}-3-methyl-benzamide;
- ccix. (S)-5-(3-Trifluoromethoxy-phenyl)-thiophene-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccx. (S)-5-(2-Methoxy-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxi. N-{(4-Methoxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxii. (S)-5-(2-Fluoro-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxiii. (S)-5-(4-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxiv. N-{(2-Benzyloxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxv. (S)-5-(4-Trifluoromethoxy-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxvi. N-{(2-Chloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxvii. N-{(4-Benzyloxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl}-3-methyl-benzamide;
- ccxviii. N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-naphthalen-1-yl-methyl}-3-methyl-benzamide;
- ccxix. (S)-5-(2-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxx. N-{[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-o-tolyl-methyl}-3-methyl-benzamide;

- ccxxi.    (S)-N-{2-Cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-4-[1,2,4]triazol-1-yl-benzamide;
- ccxxii.    N-[(2,4-Dichloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxiii.    N-[(2,3-Dichloro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxiv.    N-[(2,4-Dimethyl-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxv.    N-[(2,4-Dimethoxy-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxvi.    N-[[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-thiophen-2-yl-methyl]-3-methyl-benzamide;
- ccxxvii.    N-[(4-Fluoro-phenyl)-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-methyl]-3-methyl-benzamide;
- ccxxviii.    (S)-N-{2-(4-Hydroxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxix.    (S)-N-{2-(2,4-Dichloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxx.    (S)-N-{2-(3,5-Difluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxi.    (S)-N-{2-(3,4-Dichloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxii.    (S)-4-Benzyloxy-N-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- ccxxxiii.    (S)-N-{2-(4-Acetylamino-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxiv.    (S)-Biphenyl-4-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;

- ccxxxv. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-p-tolyl-ethyl}-3-methyl-benzamide;
- ccxxxvi. (S)-N-{2-(3-Fluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxvii. (S)-N-{2-(3,4-Difluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxxxviii. (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-m-tolyl-ethyl}-3-methyl-benzamide;
- ccxxxix. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(2-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccxl. (S)-N-{2-(4-Cyano-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxli. (S)-N-{2-(4-Bromo-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlii. (S)-N-{2-(4-Iodo-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxliii. (S)-N-{2-(4-Chloro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxliv. (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-nitro-phenyl)-ethyl]-3-methyl-benzamide;
- ccxlv. (S)-N-{2-(4-Fluoro-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlvi. (S)-5-(3-Trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxlvii. (S)-N-{2-(4-Benzyloxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxlviii. (S)-N-{2-[4-(2,6-Dichloro-benzyloxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;



- ccxlix.    (S)-N-{2-(4-Methoxy-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccl.       2-Amino-4-methyl-thiazole-5-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccli.      (S)-5-(2-Chloro-5-trifluoromethyl-phenyl)-furan-2-carboxylic acid {2-cyclohexyl-1-[2-(4-trifluoromethoxy-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cclii.     (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(3-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccliii.    (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-trifluoromethyl-phenyl)-ethyl]-3-methyl-benzamide;
- ccliv.     (S)-N-{2-Benzoyloxy-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclv.      (S)-N-{2-(4-tert-Butyl-phenyl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclvi.     Cyclohexyl-N-[2-(4-methoxy-phenylamino)-ethyl]-2-(S)-(2-(S)-phenyl-propionylamino)-butyramide;
- cclvii.    (S)-N-{2-(1H-Indol-3-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclviii.   (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-naphthalen-1-yl-ethyl}-3-methyl-benzamide;
- cclix.     (S)-N-{2-Benzoyloxy-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-propyl}-3-methyl-benzamide;
- cclx.      3-Cyclohexyl-2-(S)-[2-(3-fluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- cclxi.     (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-naphthalen-2-yl-ethyl}-3-methyl-benzamide;
- cclxii.    (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-pyridin-3-yl-ethyl}-3-methyl-benzamide;

- cclxiii.    (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-pyridin-4-yl-ethyl}-3-methyl-benzamide;
- cclxiv.    Furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cclxv.    3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-tetrazol-1-yl-acetyl-amino)-propionamide;
- cclxvi.    N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-nitro-phenyl)-propyl]-3-methyl-benzamide;
- cclxvii.    (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-m-tolyloxy-phenyl)-ethyl]-3-methyl-benzamide;
- cclxviii.    threo-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-propyl}-3-methyl-benzamide;
- cclxix.    erythro-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-phenyl-propyl}-3-methyl-benzamide;
- cclxx.    (S)-N-{2-Biphenyl-4-yl-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxi.    (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(3'-nitro-biphenyl-4-yl)-ethyl]-3-methyl-benzamide;
- cclxxii.    Furan-3-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cclxxiii.    (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(2'-nitro-biphenyl-4-yl)-ethyl]-3-methyl-benzamide;
- cclxxiv.    (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-pyridin-3-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxv.    (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-thiophen-3-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxvi.    (S)-N-{2-(4'-Cyano-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- cclxxvii.    (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-pyridin-4-yl-phenyl)-ethyl]-3-methyl-benzamide;
- cclxxviii.    (S)-N-{2-(4'-Chloro-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxix.    (S)-N-{2-(2',3'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxx.    (S)-N-{2-(3'-Amino-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxi.    (S)-N-{2-(3',4'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxii.    (S)-N-{2-(4'-Hydroxymethyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxiii.    (S)-N-{2-(5'-Fluoro-2'-methoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxiv.    (S)-N-{2-(3'-Hydroxymethyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxv.    (S)-N-{2-(2',5'-Dimethoxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxvi.    (S)-N-{2-(2',5'-Dichloro-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxvii.    (S)-N-{2-(4'-Dimethylamino-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxviii.    (S)-N-{2-(2'-Acetyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cclxxxix.    (S)-N-{2-(4'-Hydroxy-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxc.    (S)-N-{2-(3'-Acetyl-biphenyl-4-yl)-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;

- ccxcxi.    (S)-N-{2-[4-(2,4-Dimethoxy-pyrimidin-5-yl)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccxcii.    (S)-N-{1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-[4-(6-methoxy-pyridin-3-yl)-phenyl]-ethyl}-3-methyl-benzamide;
- ccxciii.    Methanesulfonyl-thiophene-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxciv.    N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-2-(S)-phenyl-propionamide;
- ccxcv.    Pyridazine-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxcvi.    N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-3-methanesulfonyl-benzamide;
- ccxcvii.    3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-1H-tetrazol-5-yl-acetylamino)-propionamide;
- ccxcviii.    Cyclopropanecarboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- ccxcix.    N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-4-methanesulfonylamino-benzamide;
- ccc.        (S)-N-{2-[4-(4-Chloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- ccci.        3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-methoxy-phenyl)-acetylamino]-propionamide;
- cccii.        2-(S)-[2-(3-Chloro-phenyl)-acetylamino]-3-cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-propionamide;
- ccciiii.    3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-phenylacetylamino-propionamide;
- ccciv.        3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-(2-o-tolyl-acetylamino)-propionamide;

- cccv. 2-(S)-[2-(4-Chloro-phenyl)-acetyl-amino]-3-cyclohexyl-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cccv. 3-Cyclohexyl-2-(S)-[2-(2-fluoro-phenyl)-acetyl-amino]-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cccvi. 3-Cyclohexyl-2-(S)-diphenylacetyl-amino-N-[2-(4-fluoro-phenyl-amino)-ethyl]-propionamide;
- cccvii. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(2-fluoro-biphenyl-4-yl)-propionamide;
- cccix. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-p-tolyl-propionamide;
- cccix. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(4-fluoro-phenyl)-propionamide;
- cccxi. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(4-hydroxy-phenyl)-propionamide;
- cccxi. 2-(4-Chloro-phenyl)-N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-propionamide;
- cccxi. N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-4-methanesulfonyl-benzamide;
- cccxi. Thiazole-4-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-amide;
- cccxi. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-propionamide;
- cccxi. 4-Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxi. 3-Cyclohexyl-N-[2-(4-fluoro-phenyl-amino)-ethyl]-2-(S)-(2-(R)-hydroxy-2-phenyl-acetyl-amino)-propionamide;
- cccxi. N-{2-cyclohexyl-1-(S)-[2-(4-fluoro-phenyl-amino)-ethylcarbamoyl]-ethyl}-2-(R)-phenyl-butylamide;

- cccxix.    Phenyl-cyclopropanecarboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cccx.    N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-2-(R,S)-(4-fluoro-phenyl)-propionamide;
- cccxixi.    Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxixii.    5-(4-Fluoro-phenyl)-furan-2-carboxylic acid (S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-amide;
- cccxixiii.    Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(3-trifluoromethyl-phenyl)-acetyl-amino]-propionamide;
- cccxixiv.    Cyano-N-(S)-{2-cyclohexyl-1-[2-(4-fluoro-phenylamino)-ethylcarbamoyl]-ethyl}-benzamide;
- cccxixv.    3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-trifluoromethyl-phenyl)-acetyl-amino]-propionamide;
- cccxixvi.    3-Cyclohexyl-N-[2-(4-fluoro-phenylamino)-ethyl]-2-(S)-[2-(4-methanesulfonyl-phenyl)-acetyl-amino]-propionamide;
- cccxixvii.    (S)-N-[1-[2-(4-Methoxy-phenylamino)-ethylcarbamoyl]-2-(4-phenoxy-phenyl)-ethyl]-3-methyl-benzamide;
- cccxixviii.    (S)-N-{2-[4-(4-Methoxy-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccxixix.    (S)-N-{2-[4-(3-Chloro-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide;
- cccxixxx.    (S)-N-{2-[4-(3,5-Dimethyl-phenoxy)-phenyl]-1-[2-(4-methoxy-phenylamino)-ethylcarbamoyl]-ethyl}-3-methyl-benzamide.